

17th Annual Series.

**CATALOGUE FOR 1852,**  
**OF A FINE COLLECTION OF**  
**FLORICULTURAL**  
**VEGETABLE AND AGRICULTURAL**  
**SEEDS,**

COMPRISING SPLENDID ASSORTMENTS OF  
**GERMAN ASTERS, STOCKS, ZINNIAS, &c.,**  
**besides a numerous List of other established**  
**favourites, and many new and rare Seeds.**

*In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1852.*

Page 2 and 3	Necessary explanations.	Page	26	Packets of mixed Flower Seeds.
4	German Flower Seeds.		27	Flowering Bulbs.
5	Sundry Assortments.	28 to 31		Kitchen Garden and Fruit Seeds.
6 to 26	Miscellaneous Flower Seeds.		32	Agricultural Seeds.

~~~~~

THE  
LIST OF VEGETABLE SEEDS  
WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

~~~~~

TO BE HAD OF  
**JAMES CARTER,**  
**SEEDSMAN AND FLORIST,**  
**238, HIGH HOLBORN, LONDON.**

Catalogues will be forwarded gratis and prepaid on application.

\* \* The German Seeds are from the usual source.

A Catalogue of Dutch Bulbs will be published in due time.

January 1852. Revised Edition.

[Entered at Stationers' Hall.]

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 6.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.  
4th Column.—*Hardiness.*

h. hardy—plants for the open borders.  
hh. half-hardy—such as require a hot-bed.  
t. tender—pot plants, require shifting.  
f. frame—require protection till May.  
g. greenhouse—greenhouse plants.  
s. stove or hothouse—stove plants.

*Duration.*  
A. annual—last one year.  
B. biennial—last two years.  
P. herbaceous perennial—last three or more.  
S. shrub, or under-shrub.  
Pb. perennial bulb or tuber.  
T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	fsh. flesh.	peh. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
hff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. y. blue, white and yellow; l. r. light red, &c. &c.

6th Column.—*Usual height of the plant in feet; trai. trailer.*

7th Column.—*Usual month of flowering: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.*

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked \*\* may be planted in the borders in May.

\* Dwarf Plants proper for the edgings of beds. \*\* Ornamental Climbers.

† Usually flower the first year, if sown early; sp. species, var. variety; lf. leaf; fr. fruit. The dots | ... | ... | ... | indicate a repetition; pl. pluria, many; ex, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 6.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		c. Stamens united in sets.	
	No.	1. Monandria . 1 stamen	16. Monadelphia, 1 set	
		2. Diandria . 2 stamens	17. Diadelphia, 2 sets	
		3. Triandria . 3 "	18. Polyadelphia, many sets	
		4. Tetrandria . 4 "	d. Compound Flowers (Aslers, &c.).	
		5. Pentandria . 5 "	19. Syngenesia	
		6. Hexandria . 6 "	e. Stamens on the style,	
		7. Heptandria . 7 "	20. Gynandria	
		8. Octandria . 8 "	f. Male and female separated.	
		9. Enneandria . 9 "	21. Monœcia, on one plant	
		10. Decandria . 10 "	22. Diœcia, on different plants	
		11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.	
		12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
		13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
		b. Stamens unequal.	24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
		14. Didynamia, 2 long, 2 short		
		15. Tetradymania, 4 " 2 "		

## II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 6.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

- |                   |            |
|-------------------|------------|
| No. 25. Monogýnia | . 1 style  |
| 26. Digýnia       | . 2 styles |
| 27. Di-pentagýnia | 2 to 5 "   |
| 28. Trigýnia      | . 3 "      |
| 29. Tetragýnia    | . 4 "      |
| 30. Pentagýnia    | . 5 "      |
| 31. Hexagýnia     | . 6 "      |
| 32. Heptagýnia    | . 7 "      |
| 33. Decagýnia     | . 10 "     |
| 34. Dodecagýnia   | . 12 "     |
| 35. Polygýnia     | many "     |
- b. On the Stamens (male organs).
- |                 |             |
|-----------------|-------------|
| 36. Monan'dria  | . 1 stamen  |
| 37. Diandria    | . 2 stamens |
| 38. Triandria   | . 3 "       |
| 39. Tetrandria  | . 4 "       |
| 40. Pentandria  | . 5 "       |
| 41. Hexandria   | . 6 "       |
| 42. Heptandria  | . 7 "       |
| 43. Octandria   | . 8 "       |
| 44. Enneandria  | . 9 "       |
| 45. Decandria   | . 10 "      |
| 46. Dodecandria | . 12 "      |
| 47. Icosandria  | . 20 "      |
| 48. Polyandria  | many "      |

c. On the sets of Stamens.

No. 49. Monadelphía, 1 set

d. Styles and stamens united.

50. Gynandria

e. Male and female separate.

51. Monoc'cia, on one plant

52. Dioec'cia, on different plants

f. On the Polygamy.

53. { Polygámia aequalis, or

{ Equal Polygamy

54. { Polygámia superflua

{ Superfluous Polygamy

55. { Polygámia frustranea

{ Frustrated Polygamy

56. { Polygámia necessaria

{ Necessary Polygamy

57. { Polygámia segregata

{ Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia

{ Naked seeds

59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliculosa, a small pod

61. Siliquosa, a long pod.

## III. The Natural Orders. (See Flower Seeds, 3rd Column, page 6.)

The Natural Orders are founded on Structural Affinities.

- |                   |                    |                    |                      |
|-------------------|--------------------|--------------------|----------------------|
| 62. Acanthaceæ    | 86. Cucurbitaceæ   | 110. Lythraceæ     | 134. Resedaceæ       |
| 63. Amaranthaceæ  | 87. Dilleniaceæ    | 111. Magnoliaceæ   | 135. Rosaceæ         |
| 64. Amaryllidaceæ | 88. Dipsaceæ       | 112. Malvaceæ      | 136. Rutaceæ         |
| 65. Anacardiaceæ  | 89. Epacridaceæ    | 113. Marantaceæ    | 137. Sapiindaceæ     |
| 66. Apocynaceæ    | 90. Ericaceæ       | 114. Melanthaceæ   | 138. Saxifragaceæ    |
| 67. Araliaceæ     | 91. Euphorbiaceæ   | 115. Myrtaceæ      | 139. Scitamineæ      |
| 68. Asclepiadaceæ | 92. Ficoideæ       | 116. Musaceæ       | 140. Scrophulariaceæ |
| 69. Balsaminaceæ  | 93. Francoaceæ     | 117. Nyctagineæ    | 141. Selaginaceæ     |
| 70. Begoniaceæ    | 94. Fumariaceæ     | 118. Nymphaeaceæ   | 142. Sesameæ         |
| 71. Berberidaceæ  | 95. Gentianaceæ    | 119. Oleaceæ       | 143. Silenaceæ       |
| 72. Bignoniaceæ   | 96. Geraniaceæ     | 120. Oleuinaceæ    | 144. Solanaceæ       |
| 73. Boraginaceæ   | 97. Gesneriaceæ    | 121. Onagrariceæ   | 145. Stellateæ       |
| 74. Cactaceæ      | 98. Gramineæ       | 122. Oxalidaceæ    | 146. Sterculiaceæ    |
| 75. Campanulaceæ  | 99. Hydrophyllaceæ | 123. Papaveraceæ   | 147. Thymelaceæ      |
| 76. Cappariaceæ   | 100. Hypericaceæ   | 124. Passifloraceæ | 148. Tropaeolaceæ    |
| 77. Caprifoliaceæ | 101. Iridaceæ      | 125. Pittosporaceæ | 149. Tulipaceæ       |
| 78. Cinchonaceæ   | 102. Jasininaceæ   | 126. Plumbaginaceæ | 150. Umbellifereæ    |
| 79. Cistaceæ      | 103. Labiataæ      | 127. Polemoniaceæ  | 151. Urticaceæ       |
| 80. Cobaceæ       | 104. Leguminosæ    | 128. Polygalaceæ   | 152. Valerianaceæ    |
| 81. Commelinaceæ  | 105. Liliaceæ      | 129. Polygonaceæ   | 153. Verbenaceæ      |
| 82. Compositæ     | 106. Limnanthaceæ  | 130. Portulacæ     | 154. Violaceæ        |
| 83. Convolvulaceæ | 107. Linaceæ       | 131. Primulaceæ    | 155. Rhamnaceæ       |
| 84. Crassulaceæ   | 108. Lonsaceæ      | 132. Proteaceæ     | 156. Zygophyllaceæ   |
| 85. Crucifereæ    | 109. Lobeliaceæ    | 133. Ranunculaceæ  |                      |

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in Æ only are not, as COMPOSITÆ, compound flowers; CRUCIFERÆ, cross-shaped; LABIATÆ, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 62 to 156 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, Anagallis, Cyclamen, Dodecatheon, Primula prænifera or Chinese Primrose, Auricula and Polyanthus belong to the same Natural Order, Primulaceæ, No. 131; consequently should he not know Dodecatheon, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should be considered. The Aster and the Daisy, for example, belong to the same Natural Order 82, but at first sight there does not appear to be much resemblance between them, the difference in the size of the flowers and height of the plants being so very conspicuous.

# GERMAN FLOWER SEEDS

## IN CHOICE ASSORTMENTS.

*These Seeds warranted to equal, if not surpass, any in the Kingdom.*

*Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.*

No.		GERMAN ASTER, <i>hhA.</i>				s. d.
1	16	splendid varieties of German Aster, separate	do.	do.	do.	3 0
2	16	do. do. do.	do.	do.	smaller packets	1 6
3	12	do. do. new Paony-flowered	do.	do.	do.	3 0
4	12	do. do. do.	do.	do.	smaller packets	1 6
5	12	do. do. do. new Flat-flowered	do.	do.	do.	3 0
6	12	do. do. do. do.	do.	do.	smaller packets	1 6
7	12	do. do. Globc-flowered	do.	do.	do.	3 0
8	12	do. do. do.	do.	do.	smaller packets	1 6
9	10	do. do. Pyramidal	do.	do.	do.	2 6
10	10	do. do. do.	do.	do.	smaller packets	1 6
11	12	beautiful do. Dwarf	do.	do.	do.	3 0
12	12	do. do. do.	do.	do.	smaller packets	1 6
13	74	varieties of German Aster, comprising the above	do.	do.	do.	16 0
14	74	do. do. do. do.	do.	do.	smaller packets	8 0
		GERMAN STOCK, <i>hhA.</i>				
15	24	finest Dwarf German Stock, separate	do.	do.	do.	6 0
16	24	do. do. do.	do.	do.	smaller packets	3 0
17	12	do. do. do.	do.	do.	do.	3 0
18	12	do. do. do.	do.	do.	smaller packets	1 6
19	12	very fine Branching do.	do.	do.	do.	2 6
20	12	do. do. do.	do.	do.	smaller packets	1 6
21	12	fine Wallflower-leaved	do.	do.	do.	2 6
22	12	do. do.	do.	do.	smaller packets	1 6
23	6	splendid new large-flowered	do.	do.	do.	2 6
24	6	beautiful new very dwarf	do.	do.	do.	2 6
25	12	do. Autumn-flowering	do.	do.	do.	3 0
26	12	do. do.	do.	do.	smaller packets	1 6
27	84	varieties of German Stock, comprising the above	do.	do.	do.	21 0
28	84	do. do. do.	do.	do.	smaller packets	11 0
29	9	superb new Imperial Stock	do.	hhP†	do.	4 0
30	12	finest Winter or Biennial Stock	do.	hhB.	do.	3 0
31	12	do. do. do.	do.	do.	smaller packets	1 6
32	12	Antirrhinum, finest new varieties, separate	hhB†	do.	do.	2 6
33	20	Balsam, very fine double,	do.	tA., hhA., or Greenhouse	do.	4 0
34	10	do. do. do.	do.	do.	do.	2 0
35	12	do. new Camellia-flowered	do.	do.	do.	2 6
36	10	do. splendid new Rose-flowered	do.	do.	do.	2 6
37	12	do. beautiful new Dwarf	do.	do.	do.	3 0
38	50	Carnation and Picotee, extra fine, 5 seeds of each	hhP.	do.	do.	12 0
39	24	Hollyhock, extra fine double, separate	hP.	do.	do.	4 0
40	12	do. do. do.	do.	do.	do.	2 0
41	12	Larkspur, finest dwarf Rocket	hA.	do.	do.	2 6
42	12	do. do. tall do.	hA.	do.	do.	2 6
43	6	do. new dwarf Hyacinth-flowered	hA.	do.	do.	2 0
44	12	do. superb new Stock-flowered	hA.	do.	do.	3 0
45	12	Marigold, finest and newest varieties	hhA.	do.	do.	3 0
46	12	Petunia, very fine varieties	hhP†	do.	do.	3 6
47	12	Phlox Drummondii, extra fine	hhA.	do.	do.	5 0
48	12	Poppy, finest double	hA.	do.	do.	2 6
49	12	Salpiglossis, splendid varieties	hhA.	do.	do.	3 6
50	12	Scabions, new large-flowered	hA.	do.	do.	3 0
51	12	Wallflower, superb new, h. Shrub.	do.	do.	do.	5 0
52	12	do. do. do.	do.	do.	smaller packets	2 6
53	24	Zinnia elegans, splendid varieties	hhA.	do.	do.	8 0
54	12	do. do. do.	do.	do.	do.	4 0



# SUNDRY ASSORTMENTS

5

comprising the finest and newest varieties.

Expl. *h*, hardy; *hh*, half hardy; *t*, tender; *s*, Stove; *g*, Greenhouse; *A*, Annual; *B*, Biennial; *P*, Perennial; *S*, shrub; *Pb*, Bulbous perennial.

\* \* \* The Perennials and Biennials marked † flower the 1st year.

No.		s.d.	No.		s.d.
55	9 Acacia, <i>gS</i> .....	3 6	104	10 Nemophila, <i>hA</i> .....	2 6
56	4 Alonsoa, <i>hhP†</i> .....	1 0	105	6 do. <i>hA</i> .....	1 3
57	6 Alstroemeria, <i>gPb</i> .....	1 6	106	3 Nolana, <i>hA</i> .....	0 6
58	4 Anagallis, <i>gP†</i> .....	1 6	107	12 Oenothera, <i>hP &amp; B†</i> .....	3 6
59	6 Anemone, <i>hPb</i> .....	2 0	108	6 do. <i>hP &amp; B†</i> .....	1 6
60	6 Antirrhinum, <i>hB†</i> .....	1 3	109	5 Papaver, <i>hP†</i> .....	1 0
61	10 Aquilegia, <i>hP†</i> .....	2 6	110	4 Passiflora, <i>sS</i> .....	1 6
62	6 do. <i>hP†</i> .....	1 6	111	6 Pelargonium or Geranium, <i>gS</i> .....	3 6
63	6 Calandrinia, <i>hhA &amp; P†</i> .....	1 6	112	12 Pentstemon, <i>hP†</i> .....	3 0
64	8 Calliopsis, <i>h or hhA</i> .....	2 0	113	6 do. <i>hP†</i> .....	1 6
65	12 Campanula, <i>hP</i> .....	2 6	114	6 Petunia, <i>hhP†</i> .....	1 6
66	6 do. <i>hP</i> .....	1 6	115	3 Podolepis, <i>hhA</i> .....	1 0
67	10 Canna, <i>sS†</i> .....	3 6	116	6 Portulaca, <i>hhA</i> .....	2 6
68	4 Clarkia elegans, <i>hA</i> .....	0 9	117	6 Potentilla, <i>hP†</i> .....	1 6
69	4 Clarkia pulchella, <i>hA</i> .....	0 9	118	6 Salvia, <i>hA &amp; P†</i> .....	2 6
70	5 Collinsia, <i>hA</i> .....	1 0	119	4 Schizanthus, <i>hA</i> .....	1 0
71	4 Cuphea, <i>hhA</i> .....	1 6	120	4 do. tall, <i>hhA</i> .....	1 6
72	12 Delphinium, <i>hP†</i> .....	2 6	121	6 Silene, <i>hA &amp; B</i> .....	1 0
73	6 do. <i>hP†</i> .....	1 6	122	6 Thunbergia, <i>g. climber</i> .....	2 0
74	5 Dianthus chinensis, <i>hB†</i> .....	1 6	123	6 Tropæolum, <i>gPb</i> do. ....	2 6
75	12 Dianthus, various, <i>hP†</i> .....	3 0	124	6 Verbena, <i>hhB†</i> .....	2 0
76	6 do. do. <i>hP†</i> .....	1 6	125	4 Viscaria, <i>hA</i> .....	1 0
77	10 Digitalis, <i>hP</i> .....	2 0	126	10 Zinnia elegans, <i>hhA</i> .....	3 0
78	6 Elchrysium, <i>hhA</i> .....	1 6	127	6 do. finest .....	2 0
79	3 do. <i>gS</i> .....	1 6	128	4 Candytuft, <i>hA</i> .....	0 9
80	4 Eschscholtzia, <i>hP†</i> .....	1 0	129	5 Canterbury Bell, <i>hB†</i> .....	1 6
81	3 Gaillardia, <i>hP†</i> .....	1 0	130	5 Chrysanthemum, <i>hA</i> .....	1 0
82	6 Gentiana, <i>hP</i> .....	1 3	131	18 Convolvulus major, <i>hhA</i> .....	4 0
83	4 Geum, <i>hP†</i> .....	1 6	132	10 do. <i>hhA</i> .....	2 0
84	6 Gilia, <i>hA</i> .....	1 3	133	8 Convolvulus minor, <i>hA</i> .....	2 0
85	6 Godetia, <i>hA</i> .....	1 3	134	4 Globe Amaranthus, <i>tA</i> .....	1 0
86	5 Heliotropium, <i>gS</i> .....	1 6	135	10 Gourds, <i>frame, A</i> .....	2 6
87	5 Hibiscus, <i>gP. &amp;c.</i> .....	2 0	136	4 Hawkweed, <i>hA</i> .....	0 9
88	6 Ipomæa, <i>gA</i> .....	2 6	137	8 Hollyhock, <i>hP</i> .....	1 6
89	4 Ipomopsis, <i>hhB</i> .....	1 6	138	6 Jacobæa, <i>hA</i> .....	1 3
90	6 Kennedya, <i>gS</i> .....	2 0	139	6 Jarkspur, new branching, <i>hA</i> .....	1 6
91	4 Leptosiphon, <i>hA</i> .....	0 9	140	6 Lupins, common, <i>hA</i> .....	1 0
92	6 Linaria, <i>hA</i> .....	1 0	141	8 Marigold, <i>hhA &amp; hA</i> .....	1 6
93	6 Linum, <i>hP &amp; A</i> .....	1 6	142	8 Marvel of Peru, <i>hP†</i> .....	1 6
94	6 Lobelia, <i>hhA &amp; P†</i> .....	1 6	143	6 Nasturtium, <i>hA</i> .....	1 0
95	4 Lophospermum, <i>gS†</i> .....	1 6	144	8 Sweet Peas, <i>hA</i> .....	1 6
96	6 Lupinus, <i>hA</i> .....	1 3	145	6 Poppy, superb, <i>hA</i> .....	1 6
97	6 do. perennial, <i>hP†</i> .....	1 3	146	6 Stock, 10-week, <i>hhA</i> .....	1 6
98	4 Lychnis, <i>hP</i> .....	1 0	147	4 —, new Dwarf, <i>hhA</i> .....	1 6
99	4 Malope, <i>hA</i> .....	0 9	148	4 —, largest new, <i>hhA</i> .....	1 6
100	4 Martynia, <i>hhA</i> .....	1 6	149	8 —, intermediate, <i>hhA</i> .....	2 0
101	4 Maurandya, <i>gS†</i> .....	1 6	150	4 —, new Imperial, <i>hhP†</i> .....	1 6
102	4 Mesembryanthemum, <i>hhA</i> .....	1 6	151	5 Venus' Looking-Glass, <i>hA</i> .....	1 0
103	6 Mimulus, <i>hhP†</i> .....	1 6			

## COLLECTIONS OF CHOICE ANNUALS, &c.

100 hardy Annuals, 16s.; 50, 8s.; 25, 4s. | 100 hardy Perennials, 16s.; 50, 8s.; 25, 4s.  
 100 half-hardy do. 24s.; 50, 12s.; 25, 6s. | 25 greenhouse Seeds, 5s.; 12 do. do. 4s.

N.B. As the above Collections are kept in sealed packets, neither additions nor omissions can be permitted. Particular Seeds must be selected from the Catalogue (Nos. 152 to 1454) at the prices marked.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 75, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 8.

### MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1852. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 169. ( ) That the word is not literally translated, or is superadded.

#### THE ACCENTS.

à, â, î, ð, ù, ÿ, as in *Acù-eia*, *Gardè-nia*, *Lupì-nus*, *Cù-phca*, *Hÿ-aeinth*.

á, é, í, ó, and û, as in *Itál-iea*, *él-egans*, *bíe-olor*, *Nemóph-ila* (u similarly placed is long, as in *lúcida*).

Scientific Name.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
No.							fect		s. d.
152	<i>Acácia armàta</i>	armed	16 44	104	gS	y.	10	5-7	6
153	<i>faleiformis</i>	sickle-shaped	...	...	...	...	6	...	6
154	<i>floribunda</i>	bunch-flowered	...	...	...	...	...	...	6
155	<i>lophantha</i>	crest-flowered	...	...	...	...	4	...	6
156	<i>pulehiella</i>	pretty	...	...	...	...	10	8-10	6
157	<i>speciosa</i>	showy	...	...	...	p.	1	6-9	1 0
158	<i>Achinènes</i> , pl. var.	(splendid mixed)	14 59	97	sPb	div.	2½	7-9	3
159	<i>Aeonitum</i> , pl. var.	mixed (Monkshood)	13 28	133	hP	b&w	1½	7-8	3
160	<i>Adenóphora snaveoleus</i>	fragrant	5 25	75	hP+	b.	2½	5-8	6
161	<i>Agapanthus umbellatus</i>	umbel-flowered	6	105	gPb	...	...	...	6
162	<i>umbellatus albus</i>	while do.	...	...	...	w.	...	...	6
163	<i>Ageratum mexicanum</i>	Mexican	19 53	82	hA	b.	1½	7-10	3
164	<i>odoratum</i>	odorous	...	...	...	w.	...	...	3
165	<i>Agrostis elegans</i>	elegant	3 26	98	...	ap.	1	7-8	3
166	<i>Aloë ferox</i>	(spiny)	6 25	105	gS	y.	6	5-7	6
167	<i>Alonsda grandiflora</i>	large-flowered	14 59	140	hhP+	s.	1	6-9	3
168	<i>incisifolia</i>	cut-leaved	...	...	...	...	...	...	3
169	— <i>pieta</i>	painted	...	...	...	vá.	...	...	6
170	<i>Alstroemèria aurantiaca</i>	orange	6 25	64	gPb	o.	2½	...	6
171	<i>Pelegrina</i>	(striped)	...	...	...	stri.	1½	...	6
172	— <i>alba</i>	white	...	...	...	w.	...	...	6
173	<i>hybrida nova</i>	new hybrid	...	...	...	div.	2	...	1 0
174	<i>pulehella</i>	pretty	...	...	...	s.	1½	...	6
175	<i>tricolor</i>	three-coloured	...	...	...	vá.	1	...	6
176	<i>Alyssum maritimum</i>	(Sweet Atyssum)	15 60	85	hA	w.	½	7-8	3
177	<i>saxatile</i>	rock	...	...	hP+	y.	1	5-7	3
178	<i>Amaranthus bicolor</i>	two-coloured	21 40	63	tA	vá.f.	...	7-8	3
179	<i>tricolor</i>	three-coloured	...	...	...	...	...	...	3
180	<i>Amethystea cærúlea</i>	blue	2 25	103	hA	b.	1½	...	3
181	<i>Anagallis indicá</i>	Indian	5	131	...	...	...	...	3
182	<i>fruticosa</i>	shrubby	...	...	gB+	s.	1½	6-9	6
183	<i>Monelli Phillipsii</i>	(large blue)	...	...	gP+	b.	1	...	6
184	— <i>incarnata</i>	flesh-coloured	...	...	...	flesh.	...	...	6
185	— <i>rosea</i>	rose	...	...	...	ro.	...	...	6
186	<i>Anastática hierocluuntina</i>	(Rose of Jericho)	15 61	85	hhA	w.	½	7-8	6
187	<i>Anchúsa arvális</i>	(bright blue)	5 25	73	hP+	b.	1½	...	3
188	<i>ochroleuca itálica</i>	Italian	...	...	...	...	...	6-8	3
189	<i>Anemone capensis</i>	Cape	13 35	133	gP	p.	1	...	6
190	<i>coronária</i>	(Poppy Anemone)	...	...	hPb+	div.	...	4-6	6
191	— <i>coccinea splendens</i>	splendid scarlet	...	...	...	s.	...	...	6

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

A — indicates a variety. ( ) That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price s. d.	
No.										
192	Anemone hortensis	(star-flowered)	13 35	133	hPb	div.	1	4-6	6	
193	Hudsoniana	Hudson's Bay	...	...	hP	w.	...	5-7	6	
194	Pulsatilla	(Pasque-flower)	...	...	...	v.	$\frac{1}{2}$	4-5	6	
195	sulphurea	sulphur	...	...	...	sul.	1	...	6	
196	sylvestris	sylvan	...	...	...	w.	...	...	6	
197	Anoda Dilleniana	(Blue Hibiscus)	16 48	112	hA	b.	2	7-8	3	
198	Anomatheca cruenta	blood-red	3 25	101	fPb	r.	1	7-9	6	
199	Antirrhinum Majus album	white (Snapdragon)	14 59	140	hP†	w.	2	6-10	3	
200	Majus, caryophylloides	Carnation	...	...	...	stri.	...	...	3	
201	— lateum	yellow	...	...	...	y.	...	...	3	
202	— coccineum	scarlet	...	...	...	s.	...	...	3	
203	— flavum	yellow	...	...	...	y.	...	...	3	
204	— pictum	painted	...	...	...	r & y	...	...	3	
205	— quadricolor	four-coloured	...	...	...	va.	...	...	3	
206	— striatum novum	new striped	...	...	...	div.	...	...	3	
207	Aquilegia arctica	aretie	13 30	133	...	s & g	1	5-7	3	
208	Butteana	Bulle's	...	...	...	va.	$\frac{1}{2}$	...	6	
209	canadensis	Canadian	...	...	...	r & o	...	...	3	
210	— elatior	taller	...	...	...	r & y	2	...	3	
211	formosa	beautiful	...	...	...	o & y	1	...	6	
212	fragrans	fragrant	...	...	...	y. va.	...	...	6	
213	glandulosa	glandular	...	...	...	b & w	$\frac{1}{2}$	...	3	
214	hybrida bicolor	hybrid	...	...	...	w & b	...	...	3	
215	pyrenaica	Pyrenean	...	...	...	b.	...	...	3	
216	sibirica flore-pleno	double Siberian	...	...	...	...	...	...	6	
217	Skinneri	Mr. Skinner's	...	...	...	s & g	...	...	3	
218	Willdenovii	Willdenow's	...	...	...	l. b. & w.	...	...	6	
219	Arabis alpina	alpine	15 61	85	...	w & y	$\frac{3}{4}$	7-8	3	
220	Arabis japonica	Japan	5 30	67	sS	w.	4	6-8	6	
221	Arduina grandiflora	large-flowered	...	25	66	gS	...	2	4-8	6
222	Argemone grandiflora	large-flowered	13	...	127	hA	...	...	7-8	6
223	mexicana	Mexican	...	...	...	y.	...	...	3	
224	Aristea cyanea	sky-blue	3	...	101	gPb	b.	1	5-7	6
225	Armoria formosa (Statice)	beautiful	5 30	126	hP	ro.	...	...	7-8	6
226	Artanema humbriata	fringed	14 59	140	gS	r. br.	2	6-8	6	
227	Asclepias curassavica	Curassao	5 26	68	sP	s.	$2\frac{1}{2}$	...	6	
228	tuberosa	tuberous-rooted	...	...	...	hP	o.	2	7-8	6
229	Aster tenellus*	slender	19 54	82	hB†	b & y	$\frac{3}{4}$	6-8	3	
230	Athanasia annua	annual	...	53	...	hA	y.	1	7-9	3
231	Azalea pontica	Pontic	5 25	90	hS	div.	3	5-7	6	
232	Baptisia australis	southern	10	...	104	hP	b.	2	7-8	3
233	perfoliata	perfoliate	...	...	...	gP	y.	3	...	6
234	Bartonia aurea	golden	13	...	108	hA	...	$1\frac{1}{2}$	...	3
235	Begonia zinabarina	vermilion	21 48	70	sPb	div.	4	6-8	6	
236	Bellis perennis, fl. pl.	double-flowd. Daisy	19 54	82	hP†	ver.	$\frac{3}{4}$	4-8	1 0	
237	Bignonia, pl. sp.**	several species	14 59	72	hS	y & o	$\frac{10}{8}$	7-9	6	
238	Blumenbachia insignis	beautiful	18 48	108	hA	w.	1	7-8	3	
239	Brachycome iberidifolia	Iberis-leaved	19 54	82	...	b.	$1\frac{1}{2}$	...	6	
240	iberidifolia alba	white	...	...	...	w.	...	...	6	
241	— lilacina	lilac	...	...	...	li.	...	...	6	
242	Browallia elata	tall	14 59	140	gA	b.	2	6-8	3	
243	Bulbine floribunda	bunch-flowered	6 25	105	gPb	y & g	1	8-9	6	
244	Burchellia capensis	Cape	5	...	78	sS	s.	4	3-5	6
245	Cacalia coccinea	scarlet	19 53	82	hA	...	$\frac{3}{4}$	7-8	3	
246	coccinea aurea	yellow	...	...	...	y.	...	...	3	
247	Cactus, pl. sp.	several species	12 25	74	sS	div.	div.	6-9	1 0	
248	Cajanus flavus	yellow	17 45	82	...	y.	4	7-8	6	
249	Calampelis scabra**	rough (podded)	14 59	72	hP†	o.	6	6-9	6	
250	scabra miniata**	carmine	...	...	...	car.	...	...	6	
251	Calandrinia discolor (elegans)	elegant	11 25	130	...	ro.	$1\frac{1}{2}$	7-8	6	

<i>A</i> — indicates a variety. ( ) That the word is not literally translated, or is superadded.			Li.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			Li.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
252	Calandrinia grandiflora	large-flowered	11	25	130	hhP†	p.	1½	7-8	3
253	Lindleyana	Dr. Lindley's	...	...	...	hA	r.	½	...	3
254	speciosa	showy	...	...	...	...	p.	...	...	3
255	umbellata*	umbelled (beautiful)	...	...	...	hhP†	...	4	...	6
256	Calceolaria pinnata	pinnate	2	...	140	hhA	y.	1½	...	3
257	hybrida, punctata	hybrid, spotted	...	...	...	gP	div.	2	6-9	1
258	suberecta	suberect	...	...	...	hhP	y.	...	7-9	6
259	Callichroa platyglossa	(broad-rayed)	19	56	82	hA	...	1	7-8	3
260	Calliopsis (Corcopsis)	(splendid mixed)	...	55	...	hhA	div.	2	7-9	3
261	bicolor	two-coloured	...	...	...	y & r	...	...	...	3
262	— atrosanguinea	dark red	...	...	...	d. r.	...	...	...	3
263	— grandiflora	large-flowered	...	...	...	y & r	...	...	...	3
264	— marmorata	marbled	...	...	...	va.	...	...	...	3
265	— nana nova	new dwarf	...	...	...	y & r	1	...	...	6
266	Drummondii	Drummond's	...	...	...	y & br	...	...	...	3
267	— major	larger-flowered	...	...	...	...	...	...	...	6
268	Atkinsoniana	Atkinson's	...	...	...	hP†	...	2½	...	3
269	Campánula americana	American	5	25	75	...	b.	2	...	3
270	carpatica	Carpathian	...	...	...	...	...	3	7-8	3
271	— alba	— white	...	...	...	w.	...	...	...	3
272	grandiflora	large-flowered	...	...	...	b.	1	...	...	6
273	grandis	grand	...	...	...	l. b.	2	...	...	3
274	Lætingii	Læting's	...	...	...	hA	b.	1	...	3
275	nobilis	noble	...	...	...	hP†	p.	1½	...	6
276	— alba	— white	...	...	...	w.	...	...	...	6
277	pulcherrima	beautiful	...	...	...	b.	1	...	...	3
278	pusilla	dwarf	...	...	...	...	...	...	...	3
279	pyramidalis	pyramidal	...	...	...	hP	l. b.	3	6-8	3
280	— alba	— white	...	...	...	w.	...	...	...	3
281	sibirica	Siberian	...	...	...	hB†	b.	1	7-8	3
282	speciosa	showy	...	...	...	hP†	p.	2	...	6
283	stricta	strict	...	...	...	hB†	b.	1½	...	3
284	Trachelium fl. pl.	double-flowered n.	...	...	...	hP†	b&w	2½	...	6
285	urticifolia	nettle-leaved	...	...	...	...	b.	1½	...	3
286	Lorci	Lore's	...	...	...	hA	p.	1	...	3
287	— alba	— white	...	...	...	w.	...	...	...	3
288	pentagonia	five-angled	...	...	...	...	b.	3	...	3
289	— alba	— white	...	...	...	w.	...	...	...	3
290	Canna aurantiaca	orange	1	...	113	sP†	o.	4	1-12	6
291	coccinea	scarlet	...	...	...	...	s.	2½	...	6
292	flaccida	flaccid	...	...	...	...	r.	4	...	6
293	floribunda	many-flowered	...	...	...	...	...	...	...	6
294	gigantea	gigantic	...	...	...	...	r & y	6	...	6
295	glauca	glaucous	...	...	...	...	y & r	4	...	6
296	indica	Indian	...	...	...	...	div.	2½	...	6
297	lutea	yellow	...	...	...	...	y.	...	...	6
298	picta	painted	...	...	...	...	r & y	3	...	6
299	speciosa	showy	...	...	...	...	r.	...	...	6
300	Cardiospermum halicacabum	(Balloon Vine)**	8	28	135	sA	w & g	5	6-8	6
301	Cassia grandiflora	large-flowered	10	25	104	sS	y.	3	5-8	6
302	Catananche lutea	yellow	19	53	82	hA	...	1	7-8	3
303	cærulea	blue	...	...	...	hP†	b.	2	...	3
304	— bicolor	two-coloured	...	...	...	...	w & b	...	...	3
305	Celsia crética	Cretan	14	59	140	hB†	y.	3	...	3
306	Centaurea americana	American	19	55	82	gA	r.	2½	8-10	6
307	depressa*	dwarf	...	...	...	hA	b.	1	7-8	3
308	Centranthus macrosiphon	tong-tubed	1	25	152	...	r.	3	7-9	3
309	macrosiphon carnea	(new flesh-coloured)	...	...	...	...	flsh	...	...	6
310	Chænostoma fastigiatum*	bunch-flowered	14	59	140	hhA	ro.	...	...	6
311	polyanthum	many-flowered	...	...	...	...	li.	...	...	3



*A* — indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
312	Chelone barbata	bearded (Pentstemon)	14	59	140	hP†	s.	2	7-9	s.d.	6
313	gentianoides	Gentian-like	...	...	...	...	r.	...	...	...	3
314	— alba	— white	...	...	...	...	w.	...	...	...	6
315	— coccinea	— scarlet	...	...	...	...	s.	...	...	...	6
316	— elegans	— elegant	...	...	...	...	ro.	...	...	...	6
317	Chironia frutescens	frutescent	5	25	95	gS	r.	1½	6-8	6	6
318	Chorozema latifolia	broad-leaved	10	...	101	...	y & r	4	...	6	6
319	pl. sp.	several species	...	...	...	...	div.	...	...	6	6
320	Chrysanthemum indicum	Indian	19	54	82	hP	...	3	9-12	1	0
321	frutescens?	frutescent	...	...	...	...	y.	2	8-10	6	6
322	Cineraria hybrida pl. var.	(splendid mixed)	...	...	...	gS	div.	...	5-7	1	0
323	Cirsium pulcherrimum	most beautiful	...	55	...	hP	p.	4	7-8	6	6
324	Cistus monspeliensis	Montpelier	13	25	79	fP†	w.	2	6-7	6	6
325	Cladanthus arabicus	Arabian	19	54	82	hA	y.	1	6-8	3	3
326	Clarkia elegans	elegant	8	25	121	...	li.	1½	...	3	3
327	— elegans flore-pleno	— double	...	...	...	...	...	...	...	3	3
328	— rosea	— rose-coloured	...	...	...	...	ro.	...	...	3	3
329	— — flore-pleno	— double rose	...	...	...	...	...	...	...	3	3
330	— violacea nova	— violet new	...	...	...	...	v.	...	...	3	3
331	pulehella	pretty	...	...	...	...	ro.	1½	...	3	3
332	— alba	— white	...	...	...	...	w.	...	...	3	3
333	— grandiflora	— large-flowered	...	...	...	...	r.	...	...	3	3
334	— — alba	— — white	...	...	...	...	w.	...	...	3	3
335	Clématis Flammula**	flame	13	35	133	hS	...	15	6-9	3	3
336	Vitalba**	Traveller's Joy	...	...	...	...	...	...	...	3	3
337	Cleome pentaphylla	five-leaved	15	61	76	hhA	...	2	7-8	6	6
338	speciosa	showy	...	...	...	...	ro.	...	...	6	6
339	Clianthus puniceus	crimson	17	45	104	hS	cr.	6	8-10	6	6
340	Clintonia elegans	elegant	16	40	109	hhA	b.	¾	7-8	3	3
341	pulehella	beautiful	...	...	...	...	3col.	...	...	6	6
342	— alba	white	...	...	...	...	w.	...	...	6	6
343	Clitoria Ternatea**	(sky-blue)	17	45	104	sS	b.	4	...	1	0
344	2 species**	two fine species	...	...	...	...	li & b	...	...	6	6
345	Cobæa scandens**	climbing	5	25	80	gS	p.	30	6-9	6	6
346	stipularis**	stipulate	...	...	...	...	y.	...	...	6	6
347	Collinsia bicolor	two-coloured	14	59	140	hA	pk & w	1	7-8	3	3
348	bicolor atrorubens	— dark red	...	...	...	...	r & w	...	...	3	3
349	— heterophylla	— various-leaved	...	...	...	...	p & w	...	...	3	3
350	grandiflora	large-flowered	...	...	...	...	pk & b	...	...	3	3
351	verna	vernal	...	...	...	...	p & b	...	...	3	3
352	Cochlearia acaulis	stemless	15	69	85	hP†	li.	½	1-6	6	6
353	Colechicum autumnale	autumnal	6	28	114	hPb	div.	¾	7-9	3	3
354	Collomia coccinea	scarlet	5	25	127	hA	s.	1	7-8	3	3
355	grandiflora	large-flowered	...	...	...	...	buff	...	...	3	3
356	Commelina caelestis	sky-blue	3	...	81	fPb	b.	1½	...	6	6
357	caelestis alba	white	...	...	...	...	w.	...	...	6	6
358	Convallaria majalis	(Lily of the Valley)	6	...	105	...	...	½	5-8	3	3
359	multiflora	many-flowered	...	...	...	...	...	...	...	3	3
360	Coronilla glauca	glaucous	17	45	104	gS	y.	2	...	6	6
361	Corydalis aurea	golden	...	41	94	hB†	...	1	5-7	6	6
362	Cosmanthus simbricatus	fringed	5	25	99	hhA	b & w	¾	7-8	6	6
363	Cosmea bipinnata	bipinnate	19	55	82	...	p.	2	7-9	3	3
364	grandiflora	large-flowered	...	...	...	...	...	...	...	6	6
365	Cosmidium filiforme	thread-formed	...	...	...	...	w.	...	7-8	6	6
366	Crœus vernus	vernal	3	25	101	hPb	div.	¾	3-4	6	6
367	Cruciaella stylosa	lony-styled	4	...	145	hP†	pk.	1	6-8	3	3
368	Cuphea platycentra	broad-centred	11	...	110	hhS	s & w	1½	7-8	6	6
369	miniata purpurea, &c.	purple and varieties	...	...	...	...	div.	1½	...	6	6
370	silenoides	Silene-like	...	...	...	hhA	blsh.	...	...	6	6
371	strigillosa	strigillose	...	...	...	hhS	s & y	...	...	6	6

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										s. d.
372	<i>Cyclamen europæum</i>	<i>Europæan</i>	5	25	131	hPb	r&w.	$\frac{1}{2}$	7-9	6
373	<i>neapolitanum</i>	<i>Neapolitan</i>	...	...	...	hhPb	r.	...	4-6	6
374	<i>Cytisus alpinus</i>	<i>(Scotch Laburnum)</i>	16	45	104	hT	y.	30	5-6	3
375	<i>Laburnum</i>	<i>English</i>	...	...	...	...	...	15	...	3
376	<i>capitatus</i>	<i>headed</i>	...	...	...	hS	...	3	...	3
377	<i>nigricans</i>	<i>nigrescent</i>	...	...	...	...	...	...	...	3
378	<i>racemosus</i>	<i>bunch-flowered</i>	...	...	...	...	...	...	5-7	3
379	<i>Dahlia repens</i>	<i>creeping</i>	19	54	82	hhPb	p.	1	7-9	6
380	<i>superflua</i>	<i>(fine double)</i>	...	...	...	...	div.	3-4	...	6
381	<i>Datura ceratocaula</i>	<i>horn-stalked</i>	5	25	144	hhA	w&ro	3	7-8	3
382	<i>fastuosa</i>	<i>showy</i>	...	...	...	...	p.	2	...	3
383	<i>— alba</i>	<i>white</i>	...	...	...	...	w.	...	...	3
384	<i>Daubentonia Tripetiana</i>	<i>Tripet's</i>	17	45	104	gS	s&o.	6	...	6
385	<i>Delphinium amicum</i>	<i>pteaing (Larkspur)</i>	13	28	133	hP+	b.	2	...	3
386	<i>azureum</i>	<i>azure</i>	...	...	...	...	az.	...	...	3
387	<i>chinense</i>	<i>Chinese</i>	...	...	...	...	b.	1 $\frac{1}{2}$	...	3
388	<i>— album</i>	<i>— white</i>	...	...	...	...	w.	...	...	3
389	<i>— pl. var.</i>	<i>— mixed</i>	...	...	...	...	div.	...	...	6
390	<i>Clusii</i>	<i>Cluse's</i>	...	...	...	...	b.	3	...	3
391	<i>decumbens</i>	<i>reclining</i>	...	...	...	...	...	1	...	3
392	<i>dietyocarpum</i>	<i>netted-podded</i>	...	...	...	...	...	3	...	3
393	<i>clatum</i>	<i>(Bee Larkspur)</i>	...	...	...	...	div.	4	...	3
394	<i>elegans</i>	<i>elegant</i>	...	...	...	...	b.	1 $\frac{1}{2}$	...	3
395	<i>— flore-pleno</i>	<i>double-flowered</i>	...	...	...	...	...	...	...	6
396	<i>— — album</i>	<i>— white</i>	...	...	...	...	w.	...	...	6
397	<i>intermedium</i>	<i>intermediate</i>	...	...	...	...	b.	2	...	3
398	<i>ochroleucum</i>	<i>pale yellow</i>	...	...	...	...	l.y.	...	...	3
399	<i>pumiceum</i>	<i>erimson</i>	...	...	...	...	er.	...	...	6
400	<i>splendidum</i>	<i>splendid</i>	...	...	...	...	b.	...	...	6
401	<i>tricolor</i>	<i>three-coloured</i>	...	...	...	...	3col.	...	...	6
402	<i>triste</i>	<i>sad</i>	...	...	...	...	d.br.	...	...	3
403	<i>Dianthus atrorubens fl. pl.</i>	<i>dou. dark red (Pink)</i>	10	26	143	...	d. r.	1	6-9	6
404	<i>atrорubens violaceus</i>	<i>— violet</i>	...	...	...	...	v.	...	...	6
405	<i>— variegatus</i>	<i>— variegated</i>	...	...	...	...	div.	...	...	6
406	<i>barbatus pl. var.</i>	<i>(Sweet Willions)</i>	...	...	...	hP	...	1 $\frac{1}{2}$	...	3
407	<i>— coccineus</i>	<i>— scarlet</i>	...	...	...	...	s.	...	...	3
408	<i>— flore-pleno</i>	<i>— double</i>	...	...	...	...	div.	...	...	6
409	<i>— striatus</i>	<i>— striped</i>	...	...	...	...	...	...	...	6
410	<i>Carthusianorum fl. pl.</i>	<i>Carthusians', double</i>	...	...	...	hP+	r.	...	...	6
411	<i>Caryophyllus</i>	<i>Carnation</i>	...	...	...	hP	div.	2	...	3
412	<i>— flore-pleno</i>	<i>— double</i>	...	...	...	...	...	...	...	10
413	<i>— punctatus</i>	<i>— Pieotee</i>	...	...	...	...	...	...	...	10
414	<i>— bicolor</i>	<i>— Flake Car.</i>	...	...	...	hhP	...	...	...	26
415	<i>— — variegatus</i>	<i>— Bizarre do.</i>	...	...	...	...	...	...	...	26
416	<i>— — albo-punctatus</i>	<i>— white Pieotee</i>	...	...	...	...	...	...	...	26
417	<i>— — luteo-punctatus</i>	<i>— yellow do.</i>	...	...	...	...	...	...	...	26
418	<i>— — —</i>	<i>Nos. 413 to 417</i>	...	...	...	...	...	...	...	10
419	<i>Caryophyllus pl. var.</i>	<i>finest d. Carnation</i>	...	...	...	...	...	...	...	26
420	<i>— punctatus pl. var.</i>	<i>— double Pieotee</i>	...	...	...	...	...	...	...	26
421	<i>chinensis pl. var.</i>	<i>(Indian Pink, fine m.)</i>	...	...	...	hB+	...	1	...	3
422	<i>— flore-pleno pl. var.</i>	<i>— double do.</i>	...	...	...	...	...	...	...	3
423	<i>— — albidiflorus</i>	<i>— — white</i>	...	...	...	...	w.	...	...	6
424	<i>— — imperialis</i>	<i>— — Imperial</i>	...	...	...	...	div.	...	...	6
425	<i>— — cypreus novus</i>	<i>— — copper, new</i>	...	...	...	...	cop.	...	...	6
426	<i>eruentus</i>	<i>blood-red</i>	...	...	...	hP+	r.	...	...	6
427	<i>deltoides</i>	<i>(Maiden)</i>	...	...	...	...	l. r.	$\frac{3}{4}$	...	3
428	<i>— albidiflorus</i>	<i>white-flowered do.</i>	...	...	...	...	w.	...	...	3
429	<i>fimbriatus ?</i>	<i>fringed</i>	...	...	...	...	pk.	...	...	6
430	<i>floribundus ?</i>	<i>bunch-flowered</i>	...	...	...	...	w.	...	...	6
431	<i>Foxii</i>	<i>Fox's</i>	...	...	...	...	w&cr	1	...	6

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
								feet	s. d.	
432	<i>Dianthus giganteus</i>	<i>gigantic</i>	10	26	143	hP+	r.	2	6-9	3
433	<i>hispanicus</i>	<i>Spanish, m.</i>	...	...	...	...	div.	1	...	3
434	— <i>splendens</i>	<i>splendid</i>	...	...	...	...	cr.	...	...	6
435	<i>japonicus</i>	<i>Japan</i>	...	...	...	...	s.	...	...	6
436	<i>latifolius</i>	<i>broad-leaved</i>	...	...	...	...	div.	$\frac{3}{4}$	...	3
437	<i>moschatus</i>	<i>(Garden Pink, s.)</i>	...	...	...	hP	w&p	1	...	3
438	— <i>fiore-pleno</i>	— <i>double-flowered</i>	...	...	...	...	...	...	1	0
439	<i>plumarius fl. pl.</i>	<i>Feathered double</i>	...	...	...	...	div.	$1\frac{1}{2}$	...	3
440	<i>pulehellus</i>	<i>pretty</i>	...	...	...	hP+	...	1	...	3
441	<i>superbus</i>	<i>superb</i>	...	...	...	...	li.	$1\frac{1}{2}$	...	3
442	— <i>grandiflorus novus</i>	<i>new large-flowered</i>	...	...	...	...	div.	...	...	6
443	<i>Didiscus cæruleus</i>	<i>blue</i>	5	25	150	hhA	b.	2	7-8	6
444	<i>Digitalis aurea</i>	<i>golden (Forgetme)</i>	14	59	140	hP+	y.	$1\frac{1}{2}$	6-9	3
445	<i>Buxbaumii</i>	<i>Buxbaum's</i>	...	...	...	...	r. br.	...	...	3
446	<i>ferruginea</i>	<i>ferruginous</i>	...	...	...	...	buff	...	...	3
447	— <i>gigantea</i>	<i>gigantic</i>	...	...	...	...	...	2	...	3
448	<i>grandiflora</i>	<i>large-flowered</i>	...	...	...	...	y.	$1\frac{1}{2}$	...	3
449	<i>purpurea</i>	<i>purple</i>	...	...	...	...	p.	3	...	3
450	— <i>alba</i>	<i>white</i>	...	...	...	...	w.	...	...	3
451	— <i>punctata</i>	<i>spotted</i>	...	...	...	...	sp.	...	...	3
452	<i>Winteri</i>	<i>Winter's</i>	...	...	...	...	r. br.	...	...	3
453	<i>Diosma, 3 sp.</i>	<i>3 species, separate</i>	5	25	136	gS	w&ro	$2\frac{1}{2}$	4-7	1 6
454	<i>Dodecatheon Meadia</i>	<i>Meadia</i>	...	...	131	hP+	p.	...	6-8	6
455	<i>Meadia alba</i>	<i>white</i>	...	...	...	...	w.	...	...	6
456	<i>Dolichos, 3 sp.</i>	<i>3 species, separate</i>	17	45	104	gS	div.	8	7-9	1 0
457	<i>Doryanthes exelsa</i>	<i>noble</i>	6	25	105	hhPb	crea.	20	...	1 0
458	<i>Dracena nuda</i>	<i>nodding</i>	...	...	...	gS	br.	4	...	6
459	<i>Dracoccephalum argencense</i>	<i>Argene</i>	14	58	103	hP+	b.	$1\frac{1}{2}$	...	6
460	<i>canariense</i>	<i>(Balm of Gilead)</i>	...	...	...	hhP+	r&p.	...	...	6
461	<i>superbum</i>	<i>superb</i>	...	...	...	hP+	h.	...	...	6
462	<i>Dracopis amplexicaulis</i>	<i>stem-clasping</i>	19	55	82	hA	y.	2	7-8	3
463	<i>Duranta inermis</i>	<i>unarmed</i>	14	59	153	sS	b.	6	...	6
464	<i>Echium pyreneum</i>	<i>Pyrenean</i>	5	25	73	hB	w.	1	...	3
465	<i>candicans</i>	<i>whitish</i>	...	...	...	fs	b.	3	5-7	3
466	<i>Edwardsia grandiflora</i>	<i>large-flowered</i>	10	...	104	gS	y.	10	...	6
467	<i>Elichrysium robustum</i>	<i>robust</i>	19	54	82	hA	y&w	2	7-9	3
468	<i>macranthum</i>	<i>large-flowered</i>	...	...	...	...	pk.	...	...	3
469	— <i>album plenum</i>	<i>double white</i>	...	...	...	...	w.	...	...	6
470	— <i>flavum plenum</i>	<i>double yellow</i>	...	...	...	...	y.	...	...	6
471	<i>grandiflorum</i>	<i>large-flowered</i>	...	...	...	gS+	w.	$2\frac{1}{2}$	6-9	6
472	<i>sesamoides</i>	<i>Sesamum-like</i>	...	...	...	...	p&w	2	4-6	6
473	<i>Stachelina</i>	<i>Stachelina</i>	...	...	...	...	w.	$1\frac{1}{2}$	1-12	6
474	<i>Elsholtzia cristata</i>	<i>crested</i>	14	58	103	hA	pk.	1	7-8	3
475	<i>Epæris grandiflora</i>	<i>large-flowered</i>	5	25	89	gS	s.	3	1-6	1 0
476	<i>hybrida superba</i>	<i>superb hybrids</i>	...	...	...	...	div.	2	div.	2 6
477	<i>paludosa</i>	<i>marsh</i>	...	...	...	...	r.	3	5-7	6
478	<i>Eragrostis elegans*</i>	<i>(Love-Grass)</i>	3	26	98	hA	ap.	1	7-8	6
479	<i>Brennurus spectabilis</i>	<i>showy</i>	6	25	105	hPb	y.	2	5-6	6
480	<i>Erica, 10 sp. sep.</i>	<i>(10 fine species)</i>	8	...	90	gS	div.	div.	div.	5 0
481	<i>pl sp.</i>	<i>(finest mixed, 30 sp.)</i>	...	...	...	...	...	...	...	2 6
482	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	140	hP+	li.	$\frac{1}{2}$	4-6	3
483	<i>Erodium moschatum</i>	<i>musk</i>	16	25	96	hA	p.	1	5-7	3
484	<i>Eryngium giganteum</i>	<i>gigantic</i>	5	26	150	hP	li.	2	7-8	6
485	<i>Erysimum Peroffskyanum</i>	<i>Peroffsky's</i>	15	61	85	hA	o.	1	6-8	3
486	<i>Erythrina caffra</i>	<i>Caffrarian</i>	17	45	104	gS	s.	0	7-10	1 0
487	<i>Crista-galli</i>	<i>(splendid scarlet)</i>	...	...	...	sT	...	40	5-7	1 0
488	<i>Eschscholtzia crocea</i>	<i>saffron</i>	13	29	123	hP+	o.	$1\frac{1}{2}$	7-8	3
489	<i>crocea alba nova</i>	<i>new white</i>	...	...	...	...	y.	...	...	6
490	<i>californica</i>	<i>Californian</i>	...	...	...	...	w.	...	...	3
491	<i>compacta</i>	<i>compact</i>	...	...	...	...	...	1	...	3

<i>A</i> —indicates a variety. ( ) That the word is not literally translated, or is superadded.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	s. d.
492	<i>Encharidium concinnum</i> *	<i>neat</i>	8	25	121	hA	p.	1	6-8	3
493	<i>grandiflorum</i> *	<i>large-flowered</i>	...	...	...	...	...	...	...	3
494	<i>Euphorbia variegata</i>	<i>variegated</i>	11	28	91	hhA	var.	...	7-8	6
495	<i>Eutœa multiflora</i>	<i>many-flowered</i>	5	25	99	hA	lav.	...	6-7	3
496	<i>viscida</i>	<i>viscid</i>	...	...	...	...	b.	...	...	3
497	<i>Wrangeliana</i>	<i>Wrangel's</i>	...	...	...	...	li.	...	...	3
498	<i>Fœdia cornucopiæ</i>	<i>Horn of Plenty</i>	2	26	152	...	r.	...	7-8	3
499	<i>Ficus macrophylla</i>	<i>large-leaved</i>	23	52	151	gT	ap.	15	...	6
500	<i>Francoa sonchifolia</i>	<i>Sow-thistle-leaved</i>	8	29	93	hP	p.	2	...	6
501	<i>Fuchsia pl. var.</i>	<i>(splendid mixed)</i>	...	25	121	gS	div.	div.	6-9	1 0
502	<i>Gaillardia bicolor</i>	<i>two-coloured</i>	19	55	82	hP†	y&br.	2	7-9	3
503	<i>picta</i>	<i>painted</i>	...	...	...	...	y & s.	...	...	6
504	— <i>coccinea</i>	<i>scarlet</i>	...	...	...	...	s.	...	...	6
505	— <i>elegantissima</i>	<i>most elegant</i>	...	...	...	...	y & s.	...	...	6
506	— <i>nana</i>	<i>dwarf</i>	...	...	...	...	...	1	...	6
507	<i>Richardsoni</i>	<i>Richardson's</i>	...	...	...	...	o.	2	...	3
508	<i>Wellsiana</i>	<i>Wells'</i>	...	...	...	...	o & s.	...	...	3
509	<i>Gardënia Rothmanni</i>	<i>Rothman's</i>	5	25	78	gS	l. y.	8	6-8	1 0
510	<i>Gardœquia betonicoides</i>	<i>Betonica-like</i>	14	58	103	hP	pk.	3	9-10	6
511	<i>Gaura Lindheimeria</i>	<i>Lindheimer's (new)</i>	8	25	121	hhA	w&r	2	7-8	6
512	<i>Gazania uniflora et rigens</i>	<i>single-flowered, &amp;c.</i>	19	55	82	fS	y.	1	7-9	1 0
513	<i>Genista monosperma</i>	<i>single-seeded (new)</i>	16	45	104	gS	...	2	5-7	6
514	<i>sp. formosa</i>	<i>beautiful species</i>	...	...	...	...	...	...	...	6
515	<i>Gentiana acanlis</i>	<i>stemless</i>	5	26	95	hP†	b.	$\frac{1}{2}$	4-7	6
516	<i>hybrida</i>	<i>hybrid</i>	...	...	...	...	y & p	1	7-8	3
517	<i>6 sp.</i>	<i>(6 fine species)</i>	...	...	...	...	div.	div.	6-8	6
518	<i>Gesnera pl. sp.</i>	<i>(splendid mixed)</i>	14	59	97	sSb	y.	$1\frac{1}{2}$	6-9	1 0
519	<i>Gœum montanum</i>	<i>mountain</i>	12	35	135	hP†	...	...	...	6
520	<i>ecoccineum (chilense)</i>	<i>scarlet</i>	...	...	...	...	s.	...	...	3
521	— <i>atrosanguineum</i>	<i>dark red</i>	...	...	...	...	d. r.	...	...	3
522	— <i>grandiflorum</i>	<i>large-flowered</i>	...	...	...	...	s.	...	...	6
523	— <i>splendens fl. pl.</i>	<i>splendid double</i>	...	...	...	...	...	...	...	6
524	— <i>superbum</i>	<i>superb</i>	...	...	...	...	cr.	...	...	6
525	<i>japonicum</i>	<i>Japan</i>	...	...	...	...	y.	...	...	6
526	<i>Gilia achilleæfolia</i>	<i>Mitfoit-leaved</i>	5	25	127	hA	b. w.	2	6-8	3
527	<i>capitata, 2 var.</i>	<i>head-flowering</i>	...	...	...	...	b&w	1	...	3
528	<i>nivâlis*</i>	<i>snow-white</i>	...	...	...	...	w.	...	...	3
529	<i>tricolor*</i>	<i>three-coloured</i>	...	...	...	...	3col.	...	...	3
530	— <i>albo-cærulea*</i>	<i>white and blue</i>	...	...	...	...	w&b	...	...	3
531	— <i>rosea seu splendens*</i>	<i>rose or splendid</i>	...	...	...	...	ro.	...	...	3
532	<i>Gladiolus Herbertianus</i>	<i>Herbert's, 30 var.</i>	3	...	101	fPb	div.	2	7-9	1 0
533	<i>Gloxinia pl. sp. et var.</i>	<i>(splendid mixed)</i>	14	59	97	sPb	...	$1\frac{1}{2}$	6-9	1 0
534	<i>Glycine incarnata**</i>	<i>flesh-coloured</i>	17	45	104	gS	fsh.	3	7-8	6
535	<i>Godetia (Enothëra)</i>	<i>(finest mixed)</i>	8	25	121	hA	div.	1	...	6
536	<i>bifrons</i>	<i>two-fronted</i>	...	...	...	...	p & c.	...	...	3
537	<i>insignis</i>	<i>beautiful</i>	...	...	...	...	spot.	...	...	3
538	<i>Lindleyana</i>	<i>Dr. Lindley's</i>	...	...	...	...	w&r	...	...	3
539	<i>purpurea</i>	<i>purple</i>	...	...	...	...	p.	...	...	3
540	<i>Romanzovii</i>	<i>Romanzow's</i>	...	...	...	...	...	...	...	3
541	<i>roseo-alba</i>	<i>rose and white</i>	...	...	...	...	r&w	...	...	3
542	<i>rubicunda</i>	<i>blushing</i>	...	...	...	...	cr.	2	...	3
543	<i>vinosa</i>	<i>wine-coloured</i>	...	...	...	...	p.	1	...	3
544	<i>Willdenovii</i>	<i>Willdenow's</i>	...	...	...	...	...	...	...	3
545	<i>Goodia lotifolia</i>	<i>Lotus-leaved</i>	16	45	104	gS	y.	3	6-8	6
546	<i>Grammanthes gentianoides</i>	<i>Gentian-like</i>	5	26	84	hhA	s.	$\frac{1}{4}$	...	6
547	<i>gentianoides crœca</i>	<i>orange</i>	...	...	...	...	o.	...	...	6
548	<i>Gypsophila elegans</i>	<i>elegant</i>	10	...	143	hA	w&p	1	7-8	3
549	<i>Hedychium Gardnerianum</i>	<i>Gardner's</i>	5	25	139	sS	y.	6	6-9	6
550	<i>Hellenium Douglassii</i>	<i>Douglas's</i>	19	54	82	hA	...	2	7-8	3
551	<i>tennifolium</i>	<i>slender-leaved</i>	...	...	...	...	...	...	...	6



*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

		Li.	L.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		Li.	L.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
552	<i>Helianthemum guttatum</i>	spotted	13	25	79	hA	y.	1	7-8	3
553	<i>apenninum</i>	<i>Apennine</i>	...	...	...	hS†	w.	...	5-7	6
554	<i>Heliophila arabioïdes*</i>	<i>Arabis-like</i>	15	61	85	hA	b.	...	7-8	6
555	<i>dissecta</i>	<i>dissected</i>	...	...	...	...	...	1	...	6
556	<i>integrifolia</i>	<i>entire-leaved</i>	...	...	...	...	...	...	...	6
557	<i>trifida</i>	<i>trifid</i>	...	...	...	...	p.	...	...	6
558	<i>Heliotropium grandiflorum</i>	<i>large-flowered</i>	5	25	73	gS	li.	2	6-8	3
559	<i>peruvianum</i>	<i>Peruvian</i>	...	...	...	...	...	...	...	3
560	— <i>Voltaireum</i>	<i>Voltaire's</i>	...	...	...	...	v.	...	...	6
561	— — —	<i>Triomphe de Liege</i>	...	...	...	...	d. v.	...	...	6
562	<i>Heracleum giganteum</i>	<i>gigantic</i>	...	26	150	hB	w.	10	7-9	3
563	<i>Hibbertia volubilis**</i>	<i>climbing</i>	13	28	87	gS	y.	...	5-9	6
564	<i>Ilibiscus africanus</i>	<i>African</i>	16	48	112	hA	y&br.	1½	7-9	3
565	<i>calisireus</i>	<i>(beautiful)</i>	...	...	...	...	...	...	...	3
566	<i>palustris</i>	<i>marsh</i>	...	...	...	hP†	pk.	3	7-8	6
567	— <i>albus</i>	<i>white</i>	...	...	...	...	w.	...	...	6
568	<i>syriacus</i>	<i>Syrian</i>	...	...	...	hS	div.	6	...	3
569	<i>esculentus</i>	<i>edible</i>	...	...	...	sA	y.	2	...	6
570	<i>liliflorus</i>	<i>Lily-flowered</i>	...	...	...	gS	s.	...	...	6
571	<i>Manihot</i>	<i>Manihot</i>	...	...	...	gP†	y.	...	...	6
572	<i>militaris</i>	<i>military</i>	...	...	...	...	p.	...	...	6
573	<i>mutabilis</i>	<i>variable</i>	...	...	...	sS	w.	...	...	6
574	<i>speciosus</i>	<i>showy</i>	...	...	...	gP	s.	...	...	6
575	<i>Hieracium speciosum</i>	<i>showy</i>	19	53	82	hP†	y.	1½	...	3
576	<i>Hövea Celsi</i>	<i>Cels's</i>	16	45	104	gS	b.	6	6-9	6
577	<i>longifolia</i>	<i>long-flowered</i>	...	...	...	...	p.	4	...	6
578	<i>Hümea elegans</i>	<i>elegant</i>	19	53	82	hB†	r.	5	...	6
579	<i>Hümulus Lupulus**</i>	<i>(cultivated Hop)</i>	22	40	151	hP	y.	15	6-8	6
580	<i>Hymenoxis californica</i>	<i>Californian</i>	19	54	82	hA	...	1	7-8	6
581	<i>Hypericum elegans</i>	<i>elegant</i>	18	48	100	hP†	...	1½	6-7	6
582	<i>Iberis Tenoreana</i>	<i>Tenore's</i>	15	60	85	...	p.	1	6-8	6
583	<i>Impatiens glanduligera</i>	<i>glandular</i>	5	25	69	hA	r.	2½	7-8	3
584	<i>glanduligera alba</i>	<i>white</i>	...	...	...	...	w.	...	...	3
585	<i>Incarvillea grandiflora**</i>	<i>large-flowered</i>	14	59	72	gS	o.	20	7-9	6
586	<i>Indigofera Dösua</i>	<i>Dösua</i>	17	45	104	sS	ro.	3	5-7	3
587	<i>Ipomæa coccinea**</i>	<i>scarlet</i>	5	25	83	gA	s.	8	6-9	3
588	<i>böna nox**</i>	<i>Good Night!</i>	...	...	...	sA	w.	12	...	6
589	<i>ficifolia**</i>	<i>fig-leaved</i>	...	...	...	sP†	b.	...	...	6
590	<i>lutæola**</i>	<i>yellowish</i>	...	...	...	gA	yh.	8	...	3
591	<i>polyanthes**</i>	<i>(Auricula-flowered)</i>	...	...	...	sS	y.	12	...	6
592	<i>Quamoclit**</i>	<i>Quamoclit</i>	...	...	...	gA	s.	8	...	3
593	— <i>flöre-albo**</i>	<i>white (rare)</i>	...	...	...	...	w.	...	...	6
594	<i>rübro-cærulea**</i>	<i>(sky-blue)</i>	...	...	...	sA	b.	12	...	10
595	<i>tyrianthina**</i>	<i>Tyrian purple</i>	...	...	...	sPb	p.	...	...	10
596	<i>sp. ex. Arabiæ**</i>	<i>Arabian species</i>	...	...	...	...	v & y	...	...	6
597	<i>babylönica**</i>	<i>Babylonian</i>	...	...	...	gA	var.	...	...	6
598	<i>barbata**</i>	<i>bearded</i>	...	...	...	hA	p.	...	...	6
599	<i>carolina semiplena**</i>	<i>Carolina semi-double</i>	...	...	...	...	...	...	...	6
600	<i>hedræa**</i>	<i>Ivy-like</i>	...	...	...	...	b.	...	...	3
601	<i>purpurea Dicksoni**</i>	<i>Mr. Dickson's</i>	...	...	...	...	...	...	...	3
602	— <i>Burridgii**</i>	<i>Mr. Burridge's</i>	...	...	...	...	cr.	...	...	3
603	<i>Nij**</i>	<i>(large blue)</i>	...	...	...	...	b.	...	...	3
604	<i>sibirica**</i>	<i>Siberian</i>	...	...	...	...	flsh.	...	...	3
605	<i>Ipomopsis elegans</i>	<i>elegant</i>	...	...	127	fB	s.	1½	6-8	6
606	<i>picta</i>	<i>painted</i>	...	...	...	...	spot.	2	...	6
607	— <i>aurantiaca</i>	<i>orange</i>	...	...	...	...	o.	...	...	6
608	<i>superba</i>	<i>superb</i>	...	...	...	...	s.	...	...	6
609	<i>Iris xiphioides</i>	<i>(English Iris)</i>	3	...	101	hPb	div.	1½	6-7	6
610	<i>Xiplium</i>	<i>(Spanish Iris)</i>	...	...	...	...	...	1	...	6
611	<i>Isótoma axillaris</i>	<i>axillary</i>	5	...	109	gP†	b.	1½	6-8	6

<i>A— indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		Col.	L.	O.	N.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
612	<i>Ixia maculata</i> , pl. var.	spotted, mixed	3	25	101	fPb	div.	1	6-8		6
613	<i>Jasminum fruticans</i>	shrubby	2	...	102	hS	y.	4	5-9		3
614	<i>Kaulfussia anelloides</i> *	<i>Amellus</i> -like	19	54	82	hA	b.	$\frac{1}{2}$	7-8		3
615	<i>Kennedyia Baumannii</i> **	<i>Baumann's</i>	17	45	104	gS	p.	6	7-9		6
616	<i>Marryatta</i> **	<i>Mrs. Marryatt's</i>	...	...	...	...	s.	...	...		6
617	<i>monophylla</i> **	single-leaved	...	...	...	...	b.	...	...		6
618	<i>rotundifolia</i> **	round-leaved	...	...	...	...	p.	...	...		6
619	<i>rubicunda</i> **	blushing	...	...	...	...	r.	...	...		6
620	<i>Lantana Cammura</i>	<i>Cammara</i>	14	59	153	sS	o.	3	5-9		6
621	<i>Sellovia</i>	<i>Sellow's</i>	...	...	...	fP+	p.	1	7-9		6
622	<i>speciosa</i>	showy	...	...	...	gP+	s.	2	...		6
623	<i>Lasthenia californica</i> *	<i>Californian</i>	19	54	82	hA	y.	1	7-8		3
624	<i>Lathyrus latifolius</i> **	( <i>Everlasting Pea</i> )	17	45	104	hP+	r.	8	...		3
625	<i>latifolius albus</i> **	— white	...	...	...	...	w.	...	...		3
626	<i>rotundifolius</i> **	round-leaved	...	...	...	...	p.	1 $\frac{1}{2}$	...		6
627	<i>Lavatera arborea</i>	tree	16	48	112	hB+	...	6	6-8		6
628	<i>hispida</i>	<i>hispid</i>	...	...	...	fS	pk.	...	...		6
629	<i>Weinmanni</i>	<i>Weinmann's</i>	...	...	...	...	...	7-8			3
630	<i>Lebretonia coccinea</i>	<i>scarlet</i>	...	...	...	sS	s.	10	6-8	1	0
631	<i>Leptosiphon densiflorus</i>	thick-flowered	5	25	127	hA	p.	$\frac{3}{4}$	...		3
632	<i>androsæcus</i> *	<i>Androsæce</i> -like	...	...	...	...	div.	1	...		3
633	— <i>albus</i> *	white	...	...	...	...	w.	...	...		3
634	— <i>lilacinus</i> *	<i>lilac</i>	...	...	...	...	li.	...	...		3
635	<i>Leptospermum grandiflorum</i>	large-flowered	12	...	115	gS	w.	6	...	1	0
636	<i>Leucadendron argenteum</i>	( <i>Silver Tree</i> )	22	39	132	...	y.	8	8-9		6
637	<i>plumosum</i>	feathered	...	...	...	...	...	4	7-8		6
638	<i>Leycesteria formosa</i>	beautiful	5	25	77	hS	w&p	...	...		6
639	<i>Liätis elegans</i>	elegant	19	53	82	hPb	p.	...	8-10		6
640	<i>pycnostachya</i>	dense-spiked	...	...	...	...	...	3	...		3
641	<i>spicata</i>	spiked	...	...	...	...	...	6	...		3
642	<i>Ligularia speciosa</i>	showy	...	56	...	hP+	y.	2	...		3
643	<i>Lilium Martagon</i>	<i>Martagon</i>	6	25	105	hPb	div.	...	7-8		3
644	<i>speciosum hybridum</i>	impregnated	...	...	...	...	r&w	3	7-9	1	0
645	<i>Limnanthes Douglasii</i>	<i>Douglas's</i>	10	...	106	hA	w&y	$\frac{3}{4}$	7-8		3
646	<i>grandiflora</i>	large-flowered	...	...	...	...	...	...	...		3
647	<i>Linaria alpina</i>	alpine	14	59	140	hP+	b.	1	6-9		3
648	<i>triornithophora</i>	three-birds-bearing	...	...	...	...	p.	...	...		6
649	<i>Linum austriacum</i>	<i>Austrian</i>	5	30	107	...	b.	...	6-8		3
650	<i>flavum</i>	yellow	...	...	...	...	y.	2	...		3
651	<i>grandiflorum</i>	large-flowered	...	...	...	...	b.	1	...		6
652	— <i>album</i>	white	...	...	...	...	w.	...	...		3
653	<i>monogyuum</i>	one-styled	...	...	...	...	...	1 $\frac{1}{2}$	...		6
654	<i>perenne</i>	perennial	...	...	...	...	p.	...	...		3
655	<i>Lisianthus Russellianus</i>	<i>Duke of Bedford's</i>	...	25	95	gA	p.	3	7-9		6
656	<i>Loasa aurantiaca</i> **	orange	18	48	108	hhP+	o.	8	...		3
657	<i>Herberti</i> **	<i>Herbert's</i>	...	...	...	...	s.	...	...		3
658	<i>tricolor</i>	three-coloured	...	...	...	hA	3col.	2	...		3
659	<i>Lobelia azurea</i>	azure	5	25	109	hhP+	az.	$\frac{1}{2}$	6-8		6
660	<i>Erinus</i>	<i>Erinus</i>	...	...	...	...	b.	...	...		6
661	— <i>compacta</i>	compact	...	...	...	...	...	trai	...		6
662	— <i>grandiflora</i>	large-flowered	...	...	...	...	...	...	...		6
663	<i>gracilis</i> *	slender	...	...	...	hhA	...	...	...		3
664	— <i>alba</i> *	white	...	...	...	...	w.	...	...		3
665	— <i>rosea</i>	rose	...	...	...	...	ro.	...	...		3
666	<i>heterophylla</i>	various-leaved	...	...	...	hhP+	b&w	1 $\frac{1}{2}$	...		6
667	<i>rariosa</i>	branching	...	...	...	...	...	...	...		6
668	— <i>rubra</i>	red	...	...	...	...	r&w	...	...		6
669	<i>cardinalis</i>	( <i>scarlet</i> )	...	...	...	gP	s.	3	...		6
670	<i>secunda</i>	( <i>side-flowering</i> )	...	...	...	hhP+	w.	$\frac{1}{2}$	...		6
671	<i>siphilitica</i>	( <i>large blue</i> )	...	...	...	gP	b.	2	...		6

*A*—indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
											feet		s. d.
672	<i>Lophospermum scandens</i> **	climbing	14	59	140	gP†	ro.	10	6-9	6			
673	scandens Cliftoni**	Clifton's	...	...	...	d. ro.	...	...	...	6			
674	— Hendersoni**	Henderson's	...	...	...	...	...	...	...	6			
675	— spectabile**	showy	...	...	...	spot.	...	...	...	6			
676	<i>Rhodochiton</i> **	Rhodochiton	...	...	...	p.	...	...	...	6			
677	<i>Lötus Jacobæus</i>	St. James's Island	17	45	104	gA	d. br.	1	7-8	6			
678	Jacobæus flavus	yellow	...	...	...	...	...	...	...	6			
679	<i>Lupinus affinis</i>	related	16	...	...	hA	b&w	...	...	3			
680	bicolor	two-coloured	...	...	...	...	...	...	...	3			
681	Hartwegii	Mr. Hartweg's	...	...	...	b&pk	1½	...	...	3			
682	Moritzianus	Moritz's	...	...	...	b.	2	...	...	3			
683	mutabilis	variable	...	...	...	va.	3½	...	...	3			
684	— Cruckshanksii	Cruckshanks's	...	...	...	...	...	...	...	3			
685	nanus	dwarf	...	...	...	va. b.	1	...	...	3			
686	pulchellus	pretty	...	...	...	p. b.	2	...	...	3			
687	arboreus	tree-like	...	...	...	hP†	y.	6	...	3			
688	Douglasii	Douglas's	...	...	...	b.	2	...	...	3			
689	élegans	elegant	...	...	...	v&ro.	...	...	...	3			
690	hybridus albus	hybrid white	...	...	...	w.	...	...	...	3			
691	— flavus	yellow	...	...	...	y.	...	...	...	3			
692	— purpureo-flavus	purple and yellow	...	...	...	p&y	...	...	...	3			
693	— stramineus	straw-coloured	...	...	...	stra.	...	...	...	3			
694	guatemalensis	Guatemala	...	...	...	d. v.	...	...	...	3			
695	polyphyllus	many-leaved	...	...	...	b.	2½	...	...	3			
696	— albus	white	...	...	...	w.	...	...	...	3			
697	tricolor	three-coloured	...	...	...	3col.	2	...	...	3			
698	<i>Lusània calycina</i>	large-calyzed	14	59	140	...	w.	1	...	3			
699	<i>Lychnis alpina</i>	alpine	10	31	143	...	pk.	½	...	3			
700	corsica	Corsican	...	...	...	r.	1	...	...	3			
701	chalcédonica	(scarlet)	...	...	...	s.	2	...	...	3			
702	— alba	white	...	...	...	w.	...	...	...	3			
703	— mutabilis	variable	...	...	...	va.	...	...	...	3			
704	flos-Jovis	Jove's Flower	...	...	...	er.	1½	...	...	3			
705	fulgens	glowing	...	...	...	fP†	s.	1	...	6			
706	<i>Lýthrum roseum superbum</i>	superb rose	11	25	110	hP†	ro.	1½	...	3			
707	<i>Màdia élegans</i>	elegant	19	54	82	hA	y.	3	...	3			
708	<i>Maguòlia grandiflòra</i>	large-flowered	13	35	111	hT	w.	20	6-9	6			
709	<i>Mahònia</i> , 3 sp.	three species sep.	6	25	71	hS	y.	div.	4-7	1 0			
710	<i>Málope trifida</i>	trifid	16	48	112	hA	r.	2	7-8	3			
711	trifida alba	white	...	...	...	w.	...	...	...	3			
712	— grandiflòra	large-flowered	...	...	...	r.	...	...	...	3			
713	<i>Malva mauritiàna zebrina</i>	(striped)	...	...	...	stri.	...	...	...	3			
714	miniàta	vermilion	...	...	...	hS	ver.	4	...	3			
715	moschàta	musk-scented	...	...	...	hP†	fish.	2	...	3			
716	— alba	white	...	...	...	w.	...	...	...	3			
717	<i>Mandevillea suavèolens</i> **	fragrant	5	25	66	sS	...	12	6-9	6			
718	<i>Martynia craniolària</i>	(white-flowered)	14	59	142	hhA	...	1½	7-9	6			
719	fràgrans (formòsa)	beautifol	...	...	...	d. p.	...	...	...	6			
720	lùtea	yellow	...	...	...	y.	...	...	...	6			
721	proboscidea	proboscis-like	...	...	...	l. b.	...	...	...	3			
722	<i>Maurandya antirrhiniiflòra</i>	<i>Antirrhinum-flid.</i> **	...	...	140	gS†	p.	10	4-9	6			
723	<i>Barclayàna</i> **	Mr. Barclay's	...	...	...	b&w	...	...	...	6			
724	— alba**	white	...	...	...	w.	...	...	...	6			
725	— ròsea superba**	superb rose	...	...	...	ro.	...	...	...	6			
726	<i>semperflòrens</i> **	ever-flowering	...	...	...	li.	...	...	...	6			
727	<i>Mecounopsis canbrica</i>	(Welsh Poppy)	13	25	123	hP†	y.	1	5-8	3			
728	<i>Mesembryanthemum spectabile showy</i>		12	27	92	fS	er.	...	...	6			
729	glàbrum	glabrous	...	...	...	hhA	y.	½	7-8	6			
730	pinnatifidum	pinnatifid	...	...	...	...	...	...	...	6			
731	tricolor (pyropæum)	red	...	...	...	r.	½	...	...	6			

A — indicates a variety. ( ) That the word is not literally translated, or is superadded.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
732	Mesembryan. tricolor album	white	12	27	92	hhA	w.	feet	s. d.
733	Mimosa marginata	bordered	23	51	104	gS	pk.	1 3	7-8
734	Mimulus cardinalis	scarlet	14	59	140	hhP+	s.	1 1/2	6-8
735	cardinalis crœceus	orange	...	...	...	o.	...	...	3
736	— atrosanguineus	dark red	...	...	...	d. r.	...	...	6
737	guttatus	spotted	...	...	...	spot.	1	...	3
738	Hudsoni	Hudson's	...	...	...	w.	...	...	6
739	moschatatus	musk-scented	...	...	...	y.	1/2	...	3
740	speciosus	showy	...	...	...	va.	1	...	3
741	Momordica Charantia**	Charantia	21	49	86	fA	y.	5	...
742	Morina elegans	elegant	2	25	88	hhP+	p.	3	...
743	longiflora	long-flowered	...	...	...	w & r	...	...	6
744	Moschæria pinnatifida	pinnatifid	19	53	82	hA	y.	...	7-8
745	Myosotis palustris	(Forget-me-not)	5	25	73	hP+	b & y	1	6-9
746	alpestris	alpine	...	...	...	b.	1/2	...	6
747	Narcissus Bulbocœdium	(Hoop Petticoat)	6	...	64	hPb	y.	...	5-7
748	Nelumbium luteum	yellow (aquatic)	13	35	118	sP	...	trai	6-9
749	Nemodesia floribunda*	bunch-flowered	14	59	140	hhA	w & y	1/2	7-8
750	versicolor*	various-coloured	...	...	...	va.	...	...	6
751	Nemophila aurita	(ear-leaved)	5	25	99	hA	p.	1 1/2	6-8
752	atomaria*	spotted	...	...	...	w. sp.	3/4	...	3
753	— caelestis*	blue-spotted	...	...	...	b. sp.	...	...	3
754	discoidalis*	bordered	...	...	...	bor.	...	...	3
755	insignis*	beautiful	...	...	...	b.	...	...	3
756	— alba*	white	...	...	...	w.	...	...	3
757	— grandiflora*	large-flowered	...	...	...	b.	...	...	3
758	— striata	striped	...	...	...	stri.	...	...	3
759	maculata	spotted	...	...	...	spot.	...	...	3
760	phacelioides	Phacelia-like	...	...	...	hP+	v.	1	...
761	Nerium Oleander, fl. pl.	double-flowered	...	...	65	fS	r	8	6-9
762	Nierembergia gracilis	slender	...	...	144	hhP+	w & l	3	1 0
763	Nigella hispânica	Spanish	13	30	133	hA	b.	1	7-8
764	Nolana atriplicifolia	Atriplex-leaved	5	25	144	...	bwy	...	...
765	paradoxa	paradoxical	...	...	...	...	...	...	...
766	prostrata	prostrated	...	...	...	b.	trai	...	...
767	Nouea rosea	rose-coloured	...	...	73	...	ro.	1 1/2	...
768	Nycteria fragrans	fragrant	14	59	140	fS+	w.	1	7-10
769	Lychnidea	Lychnis-like	...	...	...	l. ro.	...	...	...
770	Nymphaea caerulea	blue (aquatic)	13	25	118	sP	b.	trai	6-9
771	Ceanothera densiflora	thick-flowered	8	...	121	hA	p.	1/2	7-8
772	Drummondii	Mr. Drummond's	...	...	...	hhP+	y.	1	7-9
773	macrocarpa	large-fruited	...	...	...	...	...	2	...
774	rosea	rose	...	...	...	hP+	ro.	1 1/2	6-8
775	triflora	three-lobed	...	...	...	y.	3/4	...	5-8
776	Sellowii	Sellow's	...	...	...	...	...	1	6-8
777	speciosa	showy	...	...	...	hA	w.	1 1/2	7-8
778	taraxacifolia	Taraxacum-leaved	...	...	...	hP+	...	1/2	...
779	tetraptera	four-winged	...	...	...	hA	...	1	...
780	Ononis rotundifolia	round-leaved	16	45	104	hS+	r.	3	...
781	Orobis coccineus	scarlet	17	...	...	s.	1	5-6	...
782	formosus	beautiful	...	...	...	p.	...	5-7	...
783	Oxalis rosea	rose	10	30	122	hPb	ro.	...	6-8
784	rubella	tight red	...	...	...	l. r.	...	...	...
785	Oxyura chrysanthemoides	Chrysanthemum-like	19	54	82	hA	y & w	...	7-8
786	Pœonia Moutan papaveracea	Papaver-like	13	26	133	hS	w.	3	5-7
787	Moutan arborea	tree	...	...	...	l. r.	4	...	1 0
788	— Banksii	Banks's	...	...	...	p.	3	...	1 0
789	decora Pallasi	Pallas's	...	...	...	hPb	...	2	...
790	Papaver crœceum	orange	...	25	123	hP+	o.	1 1/2	7-8
791	nudicaule	naked-stalked	...	...	...	y.	...	...	...



*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
792	Papàver orientale	oriental	13	25	123	hP†	r.	2	7-8	3
793	— purpureum	purple	...	...	...	p.	...	...	...	3
794	— spectabile	showy	...	...	...	cr.	...	...	...	6
795	pulcherrimum	beautiful	...	...	...	s.	...	...	...	6
796	Paspalum elegans	elegant	3	25	98	...	ap.	1½	...	3
797	Passiflora carulea**	blue	16	40	124	hS	b.	15	6-9	6
798	Pelargonium (Geranium)	(finest mixed)	16	42	96	gS	div.	3	...	1 0
799	hybridum novum	(new Fane)	...	...	...	...	...	...	...	1 0
800	zonale	girdle	...	...	...	s.	2	...	...	6
801	— album	white	...	...	...	w.	...	...	...	1 0
802	— nanum	dwarf (Tom Thumb)	...	...	...	s.	1	...	...	6
803	— roseum	rose (Lucy)	...	...	...	ro.	...	...	...	6
804	— — —	Nos. 798 to 803	...	...	...	div.	div.	...	...	3 6
805	Pennisetum setosum	bristly	3	25	98	hA	ap.	2	...	6
806	Pentstemon campanulatum	bell-flowered, mixed	14	59	140	hP†	div.	...	...	6
807	Chandléri	Chandler's	...	...	...	va.	...	...	...	3
808	digitalis	Digitalis-like	...	...	...	w.	...	...	...	3
809	Marshalli (Chelone)	Mr. Marshall's	...	...	...	s.	...	...	...	6
810	Murrayanum	Murray's	...	...	...	...	...	...	...	6
811	ovatum	ovate	...	...	...	b.	1½	...	...	3
812	pulchellum, pl. var.	pretty, mixed	...	...	...	div.	2	...	...	3
813	roseum	rose	...	...	...	ro.	...	...	...	3
814	speciosum	showy	...	...	...	l. b.	...	...	...	6
815	Petunia phœnicea	purple	5	25	144	hhP†	p.	...	...	3
816	phœnicea alba-major	large white	...	...	...	w.	...	...	...	6
817	— formosa	beautiful	...	...	...	d. p.	...	...	...	6
818	— grandiflora	large-flowered	...	...	...	p.	...	...	...	6
819	— — rosea	rose-coloured	...	...	...	r.	...	...	...	6
820	— striatiflora	striped	...	...	...	str.	...	...	...	6
821	nyctaginiflora	(white)	...	...	...	w.	...	...	...	3
822	Phaloeallis plumbea	lead-coloured	3	...	101	hPb	sl.	1½	7-8	6
823	Phasœolus Caracalla**	Caracalla	17	45	104	gS	p & y	2	...	6
824	Phlox Drummondii	Mr. Drummond's	5	25	127	hhA	div.	1½	7-9	6
825	Drummondii alba	white	...	...	...	w.	...	...	...	6
826	— coccinea	scarlet	...	...	...	s.	...	...	...	6
827	— Leopoldiniana	King Leopold's	...	...	...	cr & w	...	...	...	6
828	— oculata alba	white-eyed	...	...	...	l & w	...	...	...	6
829	— — purpurea	purple-eyed	...	...	...	w & p	...	...	...	1 0
830	hybrida perennans	hybrid perennial	...	...	...	hP†	div.	2	...	6
831	Physolobium carinatum**	keel shaped	10	...	104	gS	s.	4	6-8	6
832	Physostegia speciosa	showy	14	58	103	hP†	pk.	2	...	6
833	Pimelca decussata	decussate	2	25	147	gS	ro.	3	7-8	6
834	— spectabilis	showy	...	...	...	w & r	4	...	...	6
835	Pittosporum viridiflorum	green-flowered	5	...	125	...	gr.	6	5-6	6
836	Platystemon californicus	Californian	13	...	123	hA	y.	1	7-8	6
837	Podolëpis chrysantha*	yellow-flowered	19	54	82	hhA	...	...	...	6
838	gracilis*	slender	...	...	...	pk.	...	...	...	6
839	— alba*	white	...	...	...	w.	...	...	...	6
840	Podotheca capitata	headed	...	...	...	y.	1½	...	...	6
841	Poinciana Gilliesii	Dr. Gillies's	10	25	104	gS	...	10	6-9	6
842	pulcherrima	most beautiful	...	...	...	sS	r & y.	8	...	6
843	Poncelëtia Sprengelioides	Sprengelia like	5	...	89	fS	1	5-7	...	6
844	Portulaca grandiflora	large-flowered	11	...	130	hhA	y & p.	¼	6-8	6
845	Gilliesii	Dr. Gillies's	...	...	...	r & p.	...	...	...	6
846	Thellusoni	Mr. Thelluson's	...	...	...	cr.	...	...	...	6
847	— coccinea nova	new scarlet	...	...	...	se.	...	...	...	6
848	— striatiflora	striped-flowered	...	...	...	w & r	...	...	...	6
849	— Thorburni	Thorburn's	...	...	...	y.	...	...	...	6
850	— splendens	splendid	...	...	...	r.	...	...	...	6
851	Potentilla formosa	beautiful	12	35	135	hP†	p.	1	7-8	3

<i>A — indicotes a variety. ( ) That the word is not literally translated, or is superadded.</i>			Col.	L.	O.	N.	O.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.											feet		s. d.
852	Potentilla atosanguinea	dark blood-red	12	35	135	hP†	d. r.	1	7-8	3			3
853	Garnieriana	Miss Garnier's	...	...	...	...	y & r	...	...	6			6
854	insignis	beautiful	...	...	...	...	y.	...	...	3			3
855	Mackayana	Maekay's	...	...	...	...	y & pk	...	...	3			3
856	puleherrima	most beautiful	...	...	...	...	y.	...	...	6			6
857	Primula cortusoides	Cortuso-like	5	25	131	...	p.	1	6-8	6			6
858	sinensis (prænitens)	Chinese	...	...	...	...	gP†	li.	1	5-7	6		6
859	— alba	white	...	...	...	...	w.	...	...	6			6
860	— fimbriata	fringed	...	...	...	...	ro.	...	...	1	0		1
861	— — alba	— white	...	...	...	...	w.	...	...	1	0		1
862	— — pl. var.	(finest mixed)	...	...	...	...	w & ro	...	...	1	0		1
863	Psoralea oculata	disk-flowered	17	45	101	gS	va.	2	7-8	6			6
864	Ramonda pyrenaica	Pyreneon	5	25	144	hP†	p.	1	6-8	6			6
865	Ranunculus asiaticus	Asiatic (Persian)	13	35	133	hPb	div.	1	6-7	1	0		1
866	Renealmia corymbosa	bunch-flowered, new	3	25	101	gP	...	2	...	1	0		1
867	Rhodanthë Manglesii*	Capt. Mangles'	19	54	82	hhA	ro.	1	7-8	6			6
868	Rhododendron pl. sp.	(finest mixed)	10	25	90	hS	div.	div.	5-7	6			6
869	Roëlla ciliata	ciliated	5	...	75	fS†	p & w	1	6-10	1	0		1
870	Rosa pl. sp. et var.	(splendid mixed)	12	35	135	hS	div.	div.	5-10	1	0		1
871	Rudbeckia bicolor	two-coloured	19	55	82	hP†	y & o	2	7-8	6			6
872	fulgida	fulgid	...	...	...	...	y.	...	...	6			6
873	Salpiglossis sinuata	sinnated	14	59	144	hhA	div.	1½	7-9	6			6
874	sinuata Barclayana	Mr. Boreloy's	...	...	...	...	br.	...	...	6			6
875	— grandiflora nova	new large-flowered	...	...	...	...	b.	...	...	6			6
876	— pieta	pointed	...	...	...	...	va.	...	...	6			6
877	— splendens	splendid	...	...	...	...	y.	...	...	6			6
878	— striata, nova	new striped	...	...	...	...	stri.	...	...	6			6
879	— straminea	straw-coloured	...	...	...	...	stra.	...	...	6			6
880	Salvia azurea	blue	2	25	103	hP†	b.	2	...	6			6
881	bicolor	two-coloured	...	...	...	...	r & w	...	...	3			3
882	coccinea	scarlet	...	...	...	hhP†	s.	...	...	6			6
883	leucantha	white-flowered	...	...	...	...	w.	...	...	6			6
884	pätens	(splendid blue)	...	...	...	...	b.	3	...	6			6
885	pendula	pendulous	...	...	...	hP†	...	2	...	3			3
886	pratensis	meadow	...	...	...	...	v.	1	...	3			3
887	splendens	splendid	...	...	...	hhP	s.	4	...	6			6
888	Sanguinaria canadensis	Conadion	13	...	123	hPb	w.	½	4-6	6			6
889	Sanvitalia procumbens	procumbent	19	54	82	hhA	y.	tra	7-8	3			3
890	Saponaria calabrica*	Calabrian	10	26	143	hA	r.	½	6-9	6			6
891	Saussuria pulchella	pretty	19	53	82	hP†	p.	2	7-8	6			6
892	Saxifraga hypnoides	Moss-like	10	26	138	hP	w.	½	5-6	6			6
893	Scabiosa columbària	Pigeon-house	4	25	88	hP	p.	1	7-8	3			3
894	caucæsa	Caucasian	...	...	...	...	b.	1½	...	6			6
895	Schizanthus Grahami	Mr. Groham's	14	59	140	hhA	s & o	2	...	3			3
896	retusus	blunt-leaved	...	...	...	...	r & o	...	...	3			3
897	— albus	white	...	...	...	...	w.	...	...	6			6
898	— superbus	superb	...	...	...	...	va.	...	...	6			6
899	gracilis nova	slender, new	...	...	...	...	li.	1½	...	6			6
900	humilis*	dwarf	...	...	...	hA	li & c	1	...	3			3
901	obtusifolius	obtuse-leaved	...	...	...	...	va.	1½	...	3			3
902	pinnatus	pinnated	...	...	...	...	l.p.y.	...	...	3			3
903	— Priestii	Priest's	...	...	...	...	w.	...	...	3			3
904	— venustus	beautiful	...	...	...	...	d.p.y.	...	...	3			3
905	porrigens	spreading	...	...	...	...	va.	...	...	3			3
906	Schivereckia podolica	Podotion	15	60	85	hP†	w.	½	5-7	3			3
907	Schizopetalon Walkeri*	Walker's	...	61	...	hA	...	...	7-8	6			6
908	Scilla, pl. sp. et var.	(fine mixed)	6	25	105	hPb	b & w	1	5-6	6			6
909	Scutellaria grandiflora	large-flowered	14	58	103	hP†	r.	1½	7-8	3			3
910	Seyphanthus elegans**	elegant	18	48	108	hhP†	y.	6	...	6			6
911	Sedum ceruleum	blue	10	30	84	hA	b.	½	...	6			6

*A* — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	L.	N.	H.	Col.	Hght.	M. of	Price.
		L.	O.	O.	Dur.	of Fl.		Flow.	
							feet		s. d.
912	Sesbànea aculeàta	17	45	104	sA	y.	4	7-8	6
913	Silène alpestris	10	28	143	hP+	w.	1	5-7	3
914	compacta	...	...	...	hB+	pk.	1	6-8	3
915	fimbriàta	...	...	...	...	w.	1½	...	3
916	ornàta	...	...	...	...	p.	1	...	3
917	— albà nòva	...	...	...	...	w.	...	...	6
918	pendula	...	...	...	hA	ro.	...	7-8	3
919	picta	...	...	...	...	pk.	...	...	3
920	règia	...	...	...	hP+	s.	...	...	6
921	Schafta	...	...	...	...	ro.	...	...	3
922	Solànum giganteum	5	25	144	hS	v.	15	6-8	1 0
923	Sollya heterophylla**	...	...	125	gS	b.	6	6-9	6
924	linèaris**	...	...	...	...	...	5	...	1 0
925	Sparaxis pl. sp. et var.	3	...	101	fPb	div.	1	5-6	6
926	Sphenogyne speciosa	19	55	82	hhA	y.	...	7-8	3
927	Spiraea lobata superba	12	27	137	hP+	r&w.	2	...	6
928	Statice Pseudo-Arméria	...	...	...	...	pk.	1	...	6
929	Stenactis speciosa	19	54	82	...	p.	2	...	3
930	Stèvia purpurea	...	53	...	...	...	1½	...	3
931	serrata	...	...	...	...	flsh.	...	...	3
932	Stipa pennata	3	26	98	...	ap.	2	...	6
933	Sterculia platanifolia	21	49	146	T	g.	30	...	6
934	Strelitzia augusta	5	25	116	sPb	w.	10	5-7	1 0
935	Streptocarpus Rexii	2	...	72	gP+	b.	½	6-8	6
936	Sutherlandia frutescens	17	45	104	hS	s.	3	7-8	3
937	grandiflora	...	...	...	...	...	...	...	3
938	Syringa vulgaris	10	25	...	...	b.	8	5-6	6
939	Tacsonia pinnatifidula**	16	41	124	gS	ro.	15	6-9	6
940	splendens**	...	...	...	sS	...	...	...	1 0
941	Tagetes lucida	19	54	82	gP+	y.	1	7-8	6
942	signata	...	...	...	hhA	...	1½	...	3
943	Telœkia speciosa	...	...	...	hP+	...	4	...	3
944	Telœpia speciosissima	4	25	132	gT	s.	10	5-8	2 6
945	Tephrosia grandiflora	17	45	104	gS	pk.	4	5-9	6
946	Thaïa dealbata	1	25	113	gP	b.	...	7-9	6
947	Thunbergia alata**	2	...	62	gP+	br&a	6	6-9	6
948	alata alba**	...	...	...	...	w&d	...	...	6
949	— aurantiaca**	...	...	...	...	o&d	...	...	6
950	— Bakèri**	...	...	...	...	w.	...	...	6
951	— mesoleuca**	...	...	...	...	o&w	...	...	6
952	— sulphurea**	...	...	...	...	sul.	...	...	6
953	Tigridia Pavonia pl. var.	16	38	101	fPb	div.	1	8-10	6
954	Torœnia scabra	14	59	140	gP+	b.	3	6-7	6
955	Trachèlium cœruleum	5	25	75	hB+	...	2	7-8	3
956	Tropœolum peregrinum**	8	...	148	hhA	y.	6	...	6
957	brachyceras**	...	...	...	gPb+	...	4	...	6
958	Jarrattii**	...	...	...	...	s&y	...	...	6
959	Lobbianum**	...	...	...	hhA	o.	...	...	6
960	Moritzianum**	...	...	...	gA?	s&y	...	...	6
961	pentaphyllum**	...	...	...	gPb+	o&y	...	...	6
962	hybridum**	...	...	...	...	div.	...	...	1 0
963	speciosum**	...	...	...	gA?	s.	...	...	6
964	tricolorum**	...	...	...	hPb	o&p	...	...	6
965	Smithianum**	...	...	...	hhA?	o.	...	...	6
966	Tulipa Gesneriana pl. var.	6	...	105	hPb	div.	1½	6-7	6
967	Tweedia caerulea**	5	26	68	hP	b.	4	7-9	6
968	Verbascum spectabile	...	25	144	...	y&p	2	7-8	3
969	formosum	...	...	...	...	y.	...	...	3
970	Verbena Aubletia	14	59	153	hhB+	...	1	6-9	3
971	Drummondii	...	...	...	...	li.	...	...	6

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
972	Verbena pulchella	<i>pretty</i>	14	59	153	hhB+	p.	1½	6-9	3
973	pulchella geraniæfolia	<i>Geranium-leaved</i>	...	...	...	...	r.	...	...	3
974	pulcherrima	<i>most beautiful</i>	...	...	...	...	d. r.	...	...	3
975	venosa	<i>veiny</i>	...	...	...	hhP+	ro.	1	...	3
976	Veronica speciosa	<i>showy</i>	2	25	140	gS	p.	3	6-8	6
977	Vinca rosea	<i>rose</i>	5	...	66	sS	ro.	1	3-9	6
978	roseo-alba	<i>white</i>	...	...	...	...	w.	...	...	6
979	Viola odorata	<i>Sweet Violet</i>	...	...	154	hP+	p.	...	5-7	3
980	odorata semperflorens	<i>(Russian do.)</i>	...	...	...	...	...	...	5-10	6
981	persicifolia	<i>peach-leaved</i>	...	...	...	...	crea.	...	6-7	3
982	suavis	<i>fragrant</i>	...	...	...	...	b.	½	...	6
983	Virgilia capensis	<i>Cape</i>	10	...	104	gS	p&w	4	7-9	6
984	Viscaria Cœli-rosa	<i>Rose of Heaven</i>	...	30	143	hA	flsh.	1	7-8	3
985	oculata	<i>(dark-eyed)</i>	...	...	...	...	ro.	...	...	3
986	— alba	<i>white</i>	...	...	...	...	w.	...	...	3
987	— rubra	<i>red</i>	...	...	...	...	r.	...	...	3
988	— nana	<i>dwarf</i>	...	...	...	...	...	½	...	3
989	Wahlenbergia lobelioides	<i>Lobelia-like</i>	5	25	75	...	b.	...	...	6
990	Watsouia, sp.	<i>(fine species)</i>	3	...	101	flPb	ro.	2½	7-9	6
991	Yucca aloëfolia	<i>Aloe-leaved</i>	6	...	105	fS	w&g	3	8-10	6
992	Zauschneria californica	<i>Californian</i>	8	...	121	...	s.	1½	7-9	6
993	Zieria Smithii	<i>Smith's</i>	4	...	136	gS	y.	3	5-7	6
994	Zinnia elegans	<i>elegant</i>	19	54	82	hhA	v.	2	7-10	6
995	— elegans alba	<i>— white</i>	...	...	...	...	w.	...	...	6
996	— atrovioletacea	<i>— dark violet</i>	...	...	...	...	d. v.	...	...	6
997	— aurantiaca	<i>— orange</i>	...	...	...	...	o.	...	...	6
998	— coccinea	<i>— scarlet</i>	...	...	...	...	s.	...	...	6
999	— — major	<i>— — large</i>	...	...	...	...	...	...	...	6
1000	— flava	<i>— yellow</i>	...	...	...	...	y.	...	...	6
1001	— kermesina	<i>— crimson</i>	...	...	...	...	cr.	...	...	6
1002	— purpurea	<i>— purple</i>	...	...	...	...	p.	...	...	6
1003	— rosea	<i>— rose-coloured</i>	...	...	...	...	ro.	...	...	6
1004	— sanguinea	<i>— blood-red</i>	...	...	...	...	d. r.	...	...	6
1005	— straminea	<i>— straw-coloured</i>	...	...	...	...	stra.	...	...	6
1006	Zygophyllum Fabago	<i>Fabago or Bean Caper</i>	10	25	156	hP	o&w	4	7-8	6

*The following plants are best known by the Popular Names, but as the Scientific Name is also necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations.*

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1007	Aster, Chinese, mixed	<i>Aster chinensis, pl. var.</i>	19	54	82	hhA	div.	1½	8-10	3
1008	quilled German	<i>chinensis fimbriatus</i>	...	...	...	...	...	...	...	6
1009	— globe-flowered	<i>— globularis</i>	...	...	...	...	...	...	...	6
1010	— variegated	<i>— variegatus</i>	...	...	...	...	...	...	...	6
1011	Perfection, new ex.	<i>— pæoniæflorus</i>	...	...	...	...	...	...	...	I 0
1012	— blue	<i>— — cæruleus</i>	...	...	...	...	b.	...	...	6
1013	— blue & white	<i>— — cæruleo-albus</i>	...	...	...	...	b & w	...	...	6
1014	— rose	<i>— — roseus</i>	...	...	...	...	ro.	...	...	6
1015	— white	<i>— — albus</i>	...	...	...	...	w.	...	...	6
1016	pyramidal	<i>— pyramidalis</i>	...	...	...	...	div.	...	...	3
1017	— new	<i>— — novus</i>	...	...	...	...	...	...	...	6
1018	Turkey, 2 var.	<i>— — tureicus</i>	...	...	...	...	r & p	...	...	3
1019	dwarf	<i>— nanus</i>	...	...	...	...	div.	1	7-9	3
1020	Nos. 1007 to 1019	— — —	...	...	...	...	...	2&1	7-10	5 0



<i>A — is employed to indicate varieties.</i>			L.	Cl.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1021	Auricula, fine alpine	<i>Primula Auricula</i>	5	25	131	hP	div.	1	5-7	6
1022	finest prize	— —	...	...	...	fP	...	...	2	6
1023	Balsam, fine double, m.	<i>Balsamina hortensis, fl. pl.</i>	...	...	69	tA	...	2	6-9	6
1024	double crimson	<i>hortensis kermesina</i>	...	...	...	...	cr.	...	...	3
1025	— pure white	— <i>alba pura</i>	...	...	...	...	w.	...	...	3
1026	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1027	— new sulphur	— <i>sulphurea nova</i>	...	...	...	...	sil.	...	...	6
1028	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1029	— scarlet	— <i>coccinea</i>	...	...	...	...	s.	...	...	3
1030	— scarlet-shaded	— <i>rosea</i>	...	...	...	...	s. sh.	...	...	3
1031	— spotted, 3 var.	— <i>punctata</i>	...	...	...	...	spot.	...	...	6
1032	— striped, 4 var.	— <i>striata</i>	...	...	...	...	stri.	...	...	6
1033	— variegated	— <i>variegata</i>	...	...	...	...	va.	...	...	3
1034	Nos. 1023 to 1033	— —	...	...	...	...	div.	...	3	0
1035	Camellia-fl., m.	— <i>Camellia fl.</i>	...	...	...	...	...	...	...	6
1036	— blue	— <i>caerulea</i>	...	...	...	...	b.	...	...	3
1037	— crimson	— <i>kermesina</i>	...	...	...	...	cr.	...	...	3
1038	— carmine	— <i>minuta</i>	...	...	...	...	car.	...	...	3
1039	— rose-coloured	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1040	— pale	— <i>pallida</i>	...	...	...	...	...	...	...	3
1041	— violet	— <i>violacea</i>	...	...	...	...	v.	...	...	3
1042	Nos. 1035 to 1041	— —	...	...	...	...	div.	...	1	6
1043	Candytuft, fragrant*	<i>Iberis odorata</i>	15	60	85	hA	w.	1	...	3
1044	purple*	<i>umbellata</i>	...	...	...	...	p.	...	...	3
1045	Rocket*	— <i>coronata</i>	...	...	...	...	w.	...	...	3
1046	rose*	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1047	white*	<i>amara</i>	...	...	...	...	w.	...	...	3
1048	Canterbury Bell, pur.	<i>Campanula Medium</i>	5	25	75	hP†	p.	3	6-8	3
1049	lilac	<i>Medium lilacina</i>	...	...	...	...	li.	...	...	3
1050	white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1051	double purple	— <i>flore-pleno</i>	...	...	...	...	p.	...	...	3
1052	— white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1053	Capsicum, fine mixed	<i>Capsicum, pl. sp. &amp; var.</i>	...	...	144	tA	...	1½	...	6
1054	Carnation & Picotee, d.	<i>Dianthus Caryophyllus pl.</i>	10	26	143	hP	div.	2	6-9	1 0
1055	extra fine double	<i>Caryophyllus, var. fl. pl.</i>	...	...	...	hP	...	...	2	6
1056	Catchfly, Lobel's, 2 v.*	<i>Silene Armeria</i>	...	...	...	hA	r & w	1	6-7	3
1057	Chrysanthemum tricol.	<i>Chrysanth. carinatum</i>	19	54	82	...	3col.	...	6-10	3
1058	new yellow	— <i>carinatum luteum</i>	...	...	...	...	y.	...	...	3
1059	showy	<i>speciosum</i>	...	...	...	...	...	...	6-9	3
1060	yellow	<i>coronarium</i>	...	...	...	...	...	3	7-9	3
1061	white	— <i>album</i>	...	...	...	...	w.	...	...	3
1062	Clary, purple	<i>Salvia Horminum</i>	2	25	103	...	p.	1	7-8	3
1063	red	<i>Horminum rubra</i>	...	...	...	...	r.	...	...	3
1064	Cockscomb, crimson	<i>Celosia cristata, nana</i>	5	...	63	tA	cr.	...	...	3
1065	dwarf yellow	<i>cristata lutea nana</i>	...	...	...	...	y.	...	...	6
1066	tall scarlet	— <i>coccinea major</i>	...	...	...	...	s.	1½	...	6
1067	mixed tall	— <i>major, pl. var.</i>	...	...	...	...	div.	...	...	6
1068	Columbine, double	<i>Aquilegia vulgaris, fl. pl.</i>	13	30	133	hP†	b.	2	6-8	3
1069	double mixed	<i>vulgaris, pl. var.</i>	...	...	...	...	div.	...	...	3
1070	Convolv. major, m.**	<i>Ipomæa purpurea, pl. var.</i>	5	25	83	hA	...	10	7-10	3
1071	splendid, 20 var.**	<i>purpurea, 20 var.</i>	...	...	...	...	...	...	1	0
1072	beautiful**	— <i>formosa</i>	...	...	...	...	pk.	...	...	3
1073	crimson**	— <i>kermesina</i>	...	...	...	...	cr.	...	...	3
1074	dark blue**	— <i>atrocaerulea</i>	...	...	...	...	d. b.	...	...	3
1075	dark purple**	— <i>atropurpurea</i>	...	...	...	...	d. p.	...	...	3
1076	dark red**	— <i>atrorubens</i>	...	...	...	...	d. r.	...	...	3
1077	dark violet**	— <i>atroviolacea</i>	...	...	...	...	d. v.	...	...	3
1078	flesh-coloured**	— <i>carnea</i>	...	...	...	...	flsh.	...	...	3
1079	large blue**	— <i>caerulea grandiflora</i>	...	...	...	...	b.	...	...	3
1080	large-flowered, m.**	— <i>grandiflora, pl. var.</i>	...	...	...	...	div.	...	...	3

<i>A — s employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1081	Convolv. major, red**	<i>Ipomœa purpurea, rubella</i>	5	25	83	hA	l. r.	10	7-10	3
1082	lilac & red**	<i>purpurea lilacino-rubra</i>	...	...	...	...	li & r	...	...	3
1083	milk-white**	— <i>lactea</i>	...	...	...	...	w.	...	...	3
1084	mulberry**	— <i>morieolor</i>	...	...	...	...	br. r.	...	...	3
1085	rose**	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1086	spotted**	— <i>punctata</i>	...	...	...	...	spot.	...	...	3
1087	striped**	— <i>striata</i>	...	...	...	...	stri.	...	...	3
1088	violet**	— <i>violacea</i>	...	...	...	...	v.	...	...	3
1089	white**	— <i>alba</i>	...	...	...	...	w.	...	...	3
1090	red striped**	— <i>rubro-striata</i>	...	...	...	...	stri.	...	...	3
1091	Convolvulus minor	<i>Convolvulus tricolor</i>	...	...	...	hA	b.	1	6-9	3
1092	azure	<i>tricolor azureus</i>	...	...	...	...	az.	...	...	3
1093	dark purple	— <i>atropurpureus</i>	...	...	...	...	d. p.	...	...	3
1094	large-flowered	— <i>grandiflorus</i>	...	...	...	...	p.	...	...	3
1095	lilac	— <i>lilacinus</i>	...	...	...	...	li.	...	...	3
1096	striped	— <i>striatus</i>	...	...	...	...	stri.	...	...	3
1097	violet	— <i>violaceus</i>	...	...	...	...	v.	...	...	3
1098	white & yellow	<i>bicolor</i>	...	...	...	...	w & y	...	...	3
1099	Cowslip, finest mixed*	<i>Primula elatior, pl. var.</i>	...	...	131	hP†	div.	3	3-7	3
1100	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	82	hA	b.	3	6-9	3
1101	fine mixed	<i>Cyanus, pl. var.</i>	...	...	...	...	div.	...	...	3
1102	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	144	tA	fr. p.	...	7-8	3
1103	white	<i>ovigerum leucocarpum</i>	...	...	...	...	fr. w.	...	...	3
1104	Flos Adonis	<i>Adonis autumnalis</i>	13	35	133	hA	s.	1	6-8	3
1105	Fraxinella, white	<i>Dictamnus Fraxinella</i>	10	25	136	hP	w.	3	7-9	3
1106	red	<i>Fraxinella rubra</i>	...	...	...	...	r.	...	...	3
1107	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	104	hB†	s.	2	7-8	3
1108	white	<i>coronarium album</i>	...	...	...	...	w.	...	...	3
1109	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	63	tA	p.	2½	7-9	3
1110	Gourd, Bottle	<i>Cucurbita Lagenaria</i>	21	49	86	fA	w.	trai	...	6
1111	Bottle, large	<i>Lagenaria major</i>	...	...	...	...	...	...	...	6
1112	— Corsican	— <i>corsicana</i>	...	...	...	...	...	...	...	6
1113	— Hercules' Club	— <i>clava-Herensis</i>	...	...	...	...	...	...	...	6
1114	— Powder Horn	— <i>cornuta</i>	...	...	...	...	...	...	...	6
1115	— siphon-shaped	— <i>siphonoides</i>	...	...	...	...	...	...	...	6
1116	Custard	<i>Melopèpo, var.</i>	...	...	...	...	y.	...	...	3
1117	Eleonor's Bonnet	— <i>var.</i>	...	...	...	...	...	...	...	3
1118	Mammoth	<i>Pèpo maxima</i>	...	...	...	...	...	...	...	3
1119	orange	<i>aurantia</i>	...	...	...	...	...	...	...	3
1120	large	— <i>major</i>	...	...	...	...	...	...	...	3
1121	Pear-shaped	<i>ovifera pyriformis</i>	...	...	...	...	...	...	...	3
1122	Turban	<i>Melopèpo tiaraformis</i>	...	...	...	...	...	...	...	3
1123	Snake	<i>Cucumis flexuosus</i>	...	...	...	...	...	...	...	3
1124	Gooseberry	<i>sp. grossulariæformis</i>	...	...	...	...	...	...	...	3
1125	Hawkweed, red	<i>Crèpis rubra</i>	19	53	82	hA	r.	1	7-8	3
1126	white	<i>rubra alba</i>	...	...	...	...	w.	...	...	3
1127	yellow	<i>Tolpis barbata</i>	...	...	...	...	y.	...	...	3
1128	silvery	<i>barbata argentea</i>	...	...	...	...	sil.	...	...	3
1129	Heartsease (Pansy), ex.	<i>Viola tricolor, hybrida</i>	5	25	154	hP†	div.	...	6-10	1 0
1130	Hollyhock, Antwerp	<i>Althæa frifolia</i>	16	48	112	hP	or.	7	7-9	3
1131	rose	<i>rosea</i>	...	...	...	...	ro.	...	...	3
1132	black	— <i>nigra</i>	...	...	...	...	blk.	...	...	3
1133	crimson	— <i>kermesina</i>	...	...	...	...	er.	...	...	3
1134	purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1135	red	— <i>rubra</i>	...	...	...	...	r.	...	...	3
1136	white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1137	yellow	— <i>flava</i>	...	...	...	...	y.	...	...	3
1138	Chinese	<i>chinensis</i>	...	...	...	hA	v.	2	...	3
1139	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1140	— red & white	— <i>rubro-alba</i>	...	...	...	...	r & w	...	...	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
1141	Honesty (Satin-flower)	<i>Lunaria biemis</i> , 2 var.	15	60	85	hB+	li & w	3	5-6	3
1142	Honeywort, large & sm.	<i>Cerinth major et minor</i>	5	25	73	hA	y & p	2 & 1	7-8	3
1143	Horn Poppy, scarlet	<i>Glaucium phæniceum</i>	13	...	123	...	s.	2	...	3
1144	yellow	<i>flavum</i>	...	...	...	...	y.	...	...	3
1145	violet	<i>Raneria hybrida</i>	...	...	...	...	v.	...	...	3
1146	Ice Plant	<i>Mesembryan. crystallinum</i>	12	27	92	hhA	w.	trai	7-9	3
1147	Jacobæa, double	<i>Senecio elegans</i> , fl. pl.	19	54	82	hA	blsh.	1½	...	3
1148	crimson	<i>elegans kermesina</i>	...	...	...	...	cr.	...	...	3
1149	dark grey	— <i>atrocinerea</i>	...	...	...	...	d. gy	...	...	3
1150	mulberry	— <i>moricolor</i>	...	...	...	...	br. r.	...	...	3
1151	purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1152	red	— <i>rubra</i>	...	...	...	...	r.	...	...	3
1153	rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	3
1154	violet	— <i>violacea</i>	...	...	...	...	v.	...	...	3
1155	white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1156	Larkspur, d. m.	<i>Delphinium Ajacis humile</i>	13	28	133	...	div.	¾	7-8	3
1157	dwarf, German, m.*	<i>Ajacis humile</i> , var.	...	...	...	...	...	...	...	6
1158	— blue	— <i>humile caeleste</i>	...	...	...	...	b.	...	...	3
1159	— hyacinth-flid.	— <i>hyacinthiflorum</i>	...	...	...	...	div.	...	...	6
1160	— new striped	— <i>striatum novum</i>	...	...	...	...	stri.	...	...	6
1161	— rose	— <i>roseum</i>	...	...	...	...	ro.	...	...	3
1162	— unique	— <i>bicolor</i>	...	...	...	...	w & ro	...	...	3
1163	— white	— <i>album</i>	...	...	...	...	w.	...	...	3
1164	tall German, m.	— <i>elätior</i> , pl. var.	...	...	...	...	div.	1½	...	3
1165	superb branching	— <i>Consolida</i> , pl. var.	...	...	...	...	...	2	...	6
1166	— blue	— <i>cæruleum</i>	...	...	...	...	b.	...	...	3
1167	— rose	— <i>roseum</i>	...	...	...	...	ro.	...	...	3
1168	Lavatera, red	<i>Lavalera trimestris</i>	16	48	112	...	...	3	...	3
1169	white	<i>trimestris alba</i>	...	...	...	...	w.	...	...	3
1170	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	r.	tra.	...	3
1171	pale buff	<i>caudatus pallidus</i>	...	...	...	...	bff.	...	...	3
1172	Lupinus, Dutch	<i>Lupinus canaliculatus</i>	16	45	104	...	b.	2	...	3
1173	large blue	<i>hirsutus</i>	...	...	...	...	...	...	...	3
1174	large rose	<i>pilosus</i>	...	...	...	...	r.	...	...	3
1175	small blue	<i>angustifolius</i>	...	...	...	...	b.	1½	...	3
1176	yellow	<i>luteus</i>	...	...	...	...	y.	...	...	3
1177	straw-coloured	— <i>stramineus</i>	...	...	...	...	stra	...	...	3
1178	white	<i>albus</i>	...	...	...	...	w.	2	...	3
1179	Marigold, French, dv.	<i>Tagetes patula nana</i> , fl. pl.	19	54	82	hhA	br.	1	7-9	3
1180	superb striped	<i>patula striata superba</i>	...	...	...	...	stri.	1½	...	6
1181	unique	— <i>variegata</i>	...	...	...	...	y & br	...	...	3
1182	very dwarf	— <i>nanissima</i>	...	...	...	...	br.	½	...	6
1183	— yellow, new	— <i>lutea nova</i>	...	...	...	...	y.	...	...	6
1184	African, lemon, d.	<i>erecta citrina</i> , fl. pl.	...	...	...	...	lem.	2	...	3
1185	— orange	— <i>aurantiaca</i>	...	...	...	...	o.	...	...	3
1186	— very double	— <i>plenissima</i>	...	...	...	...	o & y	...	...	3
1187	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w & p	1	...	3
1188	hybrid	<i>hybrida</i>	...	...	...	...	w.	...	...	3
1189	double garden	<i>officinalis</i> , fl. pl.	...	...	...	...	o.	...	...	3
1190	star-flowered	<i>stellata</i>	...	...	...	...	...	...	...	3
1191	Marvel of Peru, red	<i>Mirabilis Jalapa rubra</i>	3	25	117	hPh+	r.	2	6-8	3
1192	gold-striped	<i>Jalapa aureo-striata</i>	...	...	...	...	stri.	...	...	3
1193	silver-striped	— <i>argenteo-striata</i>	...	...	...	...	...	...	...	3
1194	superb, new	— <i>superba nova</i>	...	...	...	...	...	...	...	6
1195	variegated	— <i>variegata</i>	...	...	...	...	va.	...	...	3
1196	white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1197	yellow	— <i>flava</i>	...	...	...	...	y.	...	...	3
1198	sweet-scented	<i>longiflora</i>	...	...	...	...	w.	...	...	3
1199	— new purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1200	Mignonette (oz. 6d.)	<i>Reseda odorata</i>	11	28	134	hA	bff.	1	6-9	3

<i>A — is employed to indicate varieties.</i>		L.Cl.	L.O.	N.O.	H.&Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
1201	Mignonette, new large	<i>Reseda odorata major</i>	11 28	134	hA	bff.	1	6-9	6
1202	Nasturtion, new dwarf	<i>Tropaeolum minus</i>	8 43	148	...	y & r	tra	6-9	3
1203	three-spotted	<i>minus tripunctatum</i>	...	...	...	spot.	...	...	3
1204	dwarf scarlet	<i>— dubium coccineum</i>	...	...	...	se.	1	...	3
1205	tall orange	<i>Majus aurantiacum**</i>	...	...	...	o.	5	...	3
1206	— earmine	<i>— miniatum**</i>	...	...	...	car.	...	...	3
1207	— dark crimson	<i>— atrosanguineum**</i>	...	...	...	d. r.	...	...	3
1208	— Shilling's	<i>— venustum**</i>	...	...	...	y & r	...	...	3
1209	Palma Christi, major	<i>Ricinus major**</i>	21 49	91	hhA	pale	6	...	3
1210	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17 45	104	hP+	b.	...	7-8	3
1211	Tangier**	<i>tingitanus</i>	...	...	hA	s.	4	...	3
1212	— striped**	<i>— striatus</i>	...	...	...	stri.	...	...	3
1213	winged	<i>Lotus tetragonolobus</i>	...	...	...	y.	1	...	3
1214	Pea, Sweet, m. (lb. 2s.)	<i>Lathyrus odoratus pl. va.</i>	...	...	...	div.	4	6-8	3
1215	black**	<i>odoratus niger</i>	...	...	...	blk.	...	...	3
1216	painted Lady**	<i>— pictus</i>	...	...	...	va.	...	...	3
1217	purple**	<i>— purpureus</i>	...	...	...	p.	...	...	3
1218	— striped**	<i>— striatus</i>	...	...	...	stri.	...	...	3
1219	scarlet**	<i>— coccineus</i>	...	...	...	s.	...	...	3
1220	striped**	<i>— striatus</i>	...	...	...	stri.	...	...	3
1221	white**	<i>— albus</i>	...	...	...	w.	...	...	3
1222	Persicaria, red	<i>Polygonum orientale</i>	8 28	129	...	r.	...	7-8	3
1223	white.	<i>orientale album</i>	...	...	...	w.	...	...	3
1224	Polyanthus, fine	<i>Primula latior polyantha</i>	5 25	131	hP+	div.	$\frac{1}{2}$	5-7	6
1225	extra fine	<i>— —</i>	...	...	...	...	...	...	1 0
1226	Poppy, double	<i>Papaver somniferum fl. pl.</i>	13 25	123	hA	blk.	2	7-8	3
1227	Carnation	<i>somniferum var.</i>	...	...	...	flsh.	...	...	3
1228	fringed	<i>— fimbriatum</i>	...	...	...	s.	...	...	3
1229	scarlet	<i>— coccineum</i>	...	...	...	...	...	...	3
1230	striped	<i>— striatum</i>	...	...	...	r & w	...	...	3
1231	white	<i>— album</i>	...	...	...	w.	...	...	3
1232	new hybrid, 30 v.	<i>— hybridum novum</i>	...	...	...	div.	...	...	6
1233	Paeony-fl., 30 v.	<i>— paeoniaeflorum</i>	...	...	...	...	...	...	6
1234	superb, 20 var.	<i>— superbum</i>	...	...	...	...	...	...	6
1235	dwarf French, dou.	<i>Rheas, fl. pleno</i>	...	...	...	...	1	...	3
1236	scarlet, do.	<i>— coccineum</i>	...	...	...	s.	...	...	3
1237	Primrose, common	<i>Primula vulgaris</i>	5 ...	131	hP+	y.	$\frac{1}{2}$	5-7	3
1238	Prince's Feather, large	<i>Amaranthus speciosus</i>	21 40	63	hA	p.	2	7-9	3
1239	common	<i>hypochondriacus</i>	...	...	...	...	...	...	3
1240	Quaking Grass	<i>Brixa maxima</i>	3 26	98	...	ap.	1	...	3
1241	slender	<i>gracilis</i>	...	...	...	...	...	...	3
1242	Rocket, purple	<i>Hesperis matronalis</i>	15 61	85	hP+	p.	...	5-8	3
1243	sweet	<i>tristis</i>	...	...	...	w.	...	...	3
1244	Rose Campion	<i>Lychnis coronaria</i>	10 31	143	...	er.	2 $\frac{1}{2}$	6-9	3
1245	Scabious, dwarf	<i>Scabiosa nana</i>	4 25	88	hA	div.	1	7-9	3
1246	dark purple	<i>atropurpurea</i>	...	...	hP+	p.	2	...	3
1247	splendid German	<i>— major, pl. var.</i>	...	...	...	div.	...	...	6
1248	Sensitive Plant	<i>Mimosa sensitiva</i>	23 51	104	fS	pk.	...	6-9	6
1249	Stock, Ger., 10-week m.	<i>Mathiola an. densiflora</i>	15 61	85	hhA	div.	1	...	6
1250	German earmine	<i>annua densiflora, min.</i>	...	...	...	car.	...	...	6
1251	— azure	<i>— densiflora azurea</i>	...	...	...	az.	...	...	6
1252	— crimson	<i>— — kermesina</i>	...	...	...	er.	...	...	6
1253	— dark earmine	<i>— — atro-miniata</i>	...	...	...	d. er.	...	...	6
1254	— dark crimson	<i>— — atro-kermesina</i>	...	...	...	d. cr.	...	...	6
1255	— dark purple	<i>— — atropurpurea</i>	...	...	...	d. p.	...	...	6
1256	— light blue	<i>— — late-cerulea</i>	...	...	...	l. b.	...	...	6
1257	— pale rose	<i>— — rosea pallida</i>	...	...	...	p. ro.	...	...	6
1258	— rose	<i>— — rosea</i>	...	...	...	ro.	...	...	6
1259	— shining bronze	<i>— — cuprea fulgens</i>	...	...	...	cop.	...	...	6
1260	— sulphur, new	<i>— — sulphurea nova</i>	...	...	...	sul.	...	...	6



<i>A — is employed to indicate variegated.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1261	Stock, Ger., variable	<i>Malhiola a. d. variabilis</i>	15	61	85	hhA	w&b	1	6-9	6
1262	— violet	<i>annua densiflora vio.</i>	...	...	...	...	v.	...	...	6
1263	— white	— <i>alba</i>	...	...	...	...	w.	...	...	6
1264	large-flowd. Ger. m.	— <i>grandiflora pl. var.</i>	...	...	...	...	div.	...	...	6
1265	— carmine	— <i>miniata</i>	...	...	...	...	car.	...	...	6
1266	— blue	— <i>cærulea</i>	...	...	...	...	b.	...	...	6
1267	— dark carmine	— <i>atro-miniata</i>	...	...	...	...	d. car.	...	...	6
1268	— light blue	— <i>cærulescens</i>	...	...	...	...	l. b.	...	...	6
1269	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	6
1270	— rose	— <i>rosea</i>	...	...	...	...	ro.	...	...	6
1271	— white	— <i>alba</i>	...	...	...	...	w.	...	...	6
1272	new dwarf Ger. m.	— <i>nana nova pl. var.</i>	...	...	...	...	div.	$\frac{1}{2}$	...	6
1273	— carmine	— <i>miniata</i>	...	...	...	...	car.	...	...	6
1274	— chestnut	— <i>castanea</i>	...	...	...	...	br.	...	...	6
1275	— copper	— <i>cuprea</i>	...	...	...	...	cop.	...	...	6
1276	— dark blue	— <i>cærulea</i>	...	...	...	...	b.	...	...	6
1277	— flesh-coloured	— <i>carnea</i>	...	...	...	...	fish.	...	...	6
1278	— white	— <i>alba</i>	...	...	...	...	w.	...	...	6
1279	Ten-week, Eng., m.	— <i>ramosa pl. var.</i>	...	...	...	...	div.	$1\frac{1}{2}$	...	3
1280	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1281	— scarlet	— <i>coccinea</i>	...	...	...	...	s.	...	...	3
1282	— Victoria	— <i>atropurpurea</i>	...	...	...	...	d. p.	...	...	6
1283	— white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1284	— pyramidal	— <i>pyramidalis</i>	...	...	...	...	...	...	...	3
1285	Wall-flow.-leav., m.	— <i>cheirifolia</i>	...	...	...	...	div.	1	...	3
1286	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1287	— scarlet	— <i>coccinea</i>	...	...	...	...	s.	...	...	3
1288	— white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1289	Intermediate, m.	— <i>intermedia pl. var.</i>	...	...	...	...	div.	$1\frac{1}{2}$	8-10	3
1290	— carmine	— <i>miniata</i>	...	...	...	...	car.	...	...	6
1291	— scarlet	— <i>coccinea</i>	...	...	...	...	s.	...	...	6
1292	— crimson	— <i>kermesina</i>	...	...	...	...	cr.	...	...	6
1293	— dark violet	— <i>atroviolacea</i>	...	...	...	...	d. v.	...	...	6
1294	— light blue	— <i>late-cærulea</i>	...	...	...	...	l. b.	...	...	6
1295	— rose	— <i>rosea</i>	...	...	...	...	r.	...	...	6
1296	— white	— <i>alba</i>	...	...	...	...	w.	...	...	6
1297	Queen, mixed	<i>incana pl. var.</i>	...	...	...	hhB	div.	$1\frac{1}{2}$	5-7	3
1298	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1299	— scarlet	— <i>coccinea</i>	...	...	...	...	s.	...	...	3
1300	— white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1301	Imperial, m.	— <i>seuiperflorans pl. var.</i>	...	...	...	hhP†	div.	...	5-10	6
1302	— blue	— <i>cærulea</i>	...	...	...	...	b.	...	...	6
1303	— crimson	— <i>kermesina</i>	...	...	...	...	cr.	...	...	6
1304	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	6
1305	— lilac	— <i>lilacina</i>	...	...	...	...	li.	...	...	6
1306	— rose	— <i>rosea</i>	...	...	...	...	r.	...	...	6
1307	— white	— <i>alba</i>	...	...	...	...	w.	...	...	6
1308	Brompton, m.	<i>simplicicaulis pl. var.</i>	...	...	...	hhB	div.	$2\frac{1}{2}$	5-7	6
1309	— purple	— <i>purpurea</i>	...	...	...	...	p.	...	...	3
1310	— scarlet	— <i>coccinea</i>	...	...	...	...	s.	...	...	3
1311	— white	— <i>alba</i>	...	...	...	...	w.	...	...	3
1312	Sunflower, double, tall	<i>Helianthus annuus fl. pl.</i>	19	55	82	hA	y.	6	7-8	3
1313	globe-flowered	<i>annuus globularis</i>	...	...	...	...	...	...	...	3
1314	double dwarf	<i>indicus flore-pleno</i>	...	...	...	...	...	2	...	3
1315	Californian species	<i>sp. ex. californica</i>	...	...	...	...	...	4	...	6
1316	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	135	hS	pk.	5	5-7	3
1317	Sweet Sultan, fine	<i>Centauria moschata</i>	19	55	82	hhA	p.	2	7-8	3
1318	— white	<i>moschata alba</i>	...	...	...	...	w.	...	...	3
1319	— yellow	<i>suaevolens</i>	...	...	...	...	y.	$1\frac{1}{2}$	...	3
1320	Venus'-Looking-Glass	<i>Prismatocarpus Speculum</i>	5	25	75	hA	b.	$\frac{3}{4}$	...	3

No.						feet	s. d.	
1321	Venus'-Navel-wort	<i>Cynoglossum linifolium</i>	5	25	73	hA	w. $\frac{3}{4}$ 7-8	3
1322	Virginian Stock, red	<i>Malcomia moritima</i>	15	61	85	...	li. $\frac{1}{2}$ 6-7	1
1323	white	<i>maritimo olba</i>	...	...	...	...	w. ...	3
1324	Wallflower, dark	<i>Cheiranthus Cheiri</i>	...	...	...	hS	br. 2 5-9	3
1325	yellow	<i>Cheiri flavus</i>	...	...	...	...	y. ...	3
1326	double dark	<i>— flore-pl. haemonthus</i>	...	...	...	...	d. r. ...	6
1327	— blue	<i>— — caeruleus</i>	...	...	...	...	b. ...	6
1328	— branching	<i>— — ramosus</i>	...	...	...	...	br. ...	6
1329	— Giant	<i>— — giganteus</i>	...	...	...	...	d. br. 3 ...	6
1330	— violet	<i>— — violaceus</i>	...	...	...	...	v. 2 ...	6
1331	— yellow	<i>— — flavus</i>	...	...	...	...	y. ...	6
1332	— dwarf	<i>— — nanus</i>	...	...	...	...	br. 1 ...	6
1333	Winter Cherry	<i>Physalis Atkekengi</i>	5	25	144	hA	w. 2 $\frac{1}{2}$ 7-10	3
1334	Xeranthemum, double	<i>Xeranthem. annuum fl. pl.</i>	19	54	82	...	p. 2 7-9	3
1335	double white	<i>annuum album pl.</i>	...	...	...	...	w. ...	3
1336	Zinnia, golden	<i>Zinnia oureo</i>	...	...	...	...	y. ...	3
1337	common red	<i>multiflora</i>	...	...	...	...	r. ...	3

## MIXED PACKETS OF FLOWER SEEDS.

A few of the following Seeds, Nos. 1338 to 1454, are also in the body of the Catalogue, but for convenience they are repeated. Explanations:—f. frame; g. greenhouse; s. stove; h. hardy; hh. half-hardy; t. tender;—A. Annual; B. Biennial; P. Perennial; S. Shrub; Pb. Bulbous plant.—\* proper for edgings; \*\* climbing Plants.

No.	s. d.	No.	s. d.	No.	s. d.	No.	s. d.				
1338		Acacia, gS	6	1377		Gloxinia, 12 sp., sSb	1 0	1416		Zinnia elegans, hhA	6
1339		Alonsoa, hhP†	6	1378		Godetia, 15 var., hA	6	1417		Aster, Germ., hhA	6
1340		Alstromeria, gPb	6	1379		Helianthemum, hP	6	1418		— Dwarf, hhA	3
1341		Anagallis, f†orgP†	6	1380		Heliotropium, gS	6	1419		— Globe, hhA	6
1342		Anemone, hPb	6	1381		Hibiscus, gP	6	1420		— Perfection, hhA	1 0
1343		Antirrhinum, 50 v.	6	1382		Ipomaea**, gA	6	1421		— Pyramidal, hhA	6
1344		Aquilegia, hP†	6	1383		Ipomopsis, fB	6	1422		Balsam, 20 var., tA	6
1345		Azalea, hS	6	1384		Kennedya**, gS	6	1423		— Camellia, 10 v. tA	6
1346		Brachycome, hhA	6	1385		Leptosiphon, hA	3	1424		— new dwf. 10 v. tA	6
1347		Calceolaria, gP	1 0	1386		Leucadendron, gS	6	1425		— new rose, tA	6
1348		Calliopsis, hor hhA	6	1387		Liätis, hPb	6	1426		Canterb. Bell, hP†	3
1349		Campánula, hP†	6	1388		Loasa**, hhP†	6	1427		Carnation, fine hhP†	2 6
1350		Canna, sPb†	6	1389		Lobelia, dwarf, hA	6	1428		Convolv. min.*, hA	6
1351		Chaenostoma, hhA	6	1390		Lophospermum**	6	1429		— major, 20 v., hhA	1 0
1352		Chelone, hP†	6	1391		Lupinus, hA	3	1430		Gourds, fA	3
1353		Cineraria, gS	1 0	1392		Lupinus, hP†	3	1431		Heartsease, Pansy	1 0
1354		Cistus, fP	6	1393		Martynia, hhA	6	1432		Indian Pink*, 20 v.	6
1355		Clarkia elegans, hA	3	1394		Maurandya**, gS†	6	1433		Hollyhock, new, hP	1 0
1356		Clarkia pulch., hA	3	1395		Mesembryanth., hh	6	1434		Jacobaea, hA	3
1357		Clematis, 8 sp. hS	1 0	1396		Mimulus, hhP†	6	1435		Larkspur, G.*, hA	6
1358		Collinsia, 3 var. hA	3	1397		Nemophila*, hA	3	1436		— Branching, G. hA	6
1359		Cuphea, hhA	6	1398		Oenothera, hP†	6	1437		Marigold, Fr., hhA	3
1360		Cyclamen, fPb	6	1399		Paeonia, 12 sp., hPb	6	1438		— African, hhA	3
1361		Dahlia, dou., hhPb	6	1400		Papaver, 4 sp., hP†	6	1439		Marvel of P., hPb†	3
1362		Delphinium, Chin.	6	1401		Passiflora**, sS	6	1440		Nasturtium**, hA	3
1363		Delphinium, hP†	6	1402		Pentstemon, hP†	6	1441		Picotee, finest, hhP†	2 6
1364		Dianthus, dw., hP†	6	1403		Petunia, hhP†	6	1442		Poppy, 40 v. new, hA	6
1365		Digitalis, 12 v., hP†	6	1404		Phlox Drummondii	6	1443		Scabious, 20 v., hA	6
1366		Elichrysium 8 v. hhA	6	1405		Podolepis*, hhA	6	1444		Stock, Ger. l.*, hhA	1 0
1367		Elichrysium, 4 sp. gS	6	1406		Portulaca, hA	6	1445		— 10-week, hhA	3
1368		Epæris, hybrid, gS	2 6	1407		Potentilla, hP†	3	1446		— new large*, hhA	6
1369		Erica, finest, gS	2 6	1408		Primula, fringed, g	1 0	1447		— new dwarf*, hhA	6
1370		Eschscholtzia, hP†	6	1409		Salpiglossis, hhA	6	1418		— Brompton, hhB	6
1371		Fuchsia, gS	1 0	1410		Schizanthus*, hA	3	1449		— Imperial, hhP†	6
1372		Gaillardia, hP†	6	1411		Schizanthus, hhA	6	1450		— Queen, hhB	3
1373		Geranium, gP	1 0	1412		Thunbergia**, gP†	6	1451		Sweet Peas**, hA	3
1374		Geum, 5 var., hP†	3	1413		Tropæolum** gPb†	1 0	1452		Sweet William, hP	6
1375		Gilia tricolor, hA	3	1414		Verbena, fP†	1 0	1453		Wallflower, dou. hS	6
1376		Gladiolus, fPb	1 0	1415		Viscaria, hA	3	1454		— single, 20 v., hS	6

## HARDY BULBS.

	s. d.
Amaryllis lutea, yellow	per doz. 2 6
— formosissima, finest	" 5 6
Anemone, splendid new double	per 100 25 0
— Emperor Alexander, variegated crim. doz.	2 6
— Feu Superbe, scarlet	" 2 6
— L'Ornement de la Nature, blue	" 2 6
— La Beauté Suprême, var. rose	" 2 6
— Lord High Admiral, crimson	" 2 6
— Double mixed, extra fine	per lb. 6 0
— Double scarlet, ditto	" 10 0
— Single scarlet	" 8 0
— Hortensis, 50 fine varieties	for 12 6
— double red	per doz. 2 6
— hybrid scarlet	" 3 0
— scarlet or flame	" 2 6
Crinum capense (Amaryllis longifolia)	" 1 0
— capense albiflorum	" 1 6
Dahlia (April or May)	9s. to 18 0
Geranium tuberosum	each 0 9
Gladiolus blandus, pretty	" 1 0
— brevifolius, short-leaved	" 1 0
— concolor, self-coloured	" 1 0
— crispiflorus, curled-flowered	" 1 0
— calcatus, helmeted	" 2 6
— hirsutus, hairy	" 1 0
— hybridus elegans, elegant	" 1 0
— trimaculatus, 3-spotted	" 1 0
— undulatus, waved	" 1 0
— versicolor, various-coloured	" 1 0
New Seeding Gladioli.	
Abd'el Kader, orange, white spots	each 2 6
Coccybus Verus, red, purple spots	" 2 0
Delicatessen, orange, purple spots	" 3 6
Duchesse d'Orléans, red, white spots	" 3 0
Elegantissimus, purple, white spots	" 3 0
Ernst Maltravers, striped orange	" 2 0
Funny Elsler, rose	" 1 0
Graaf van Nassau, rose, purple spots	" 2 6
Königin der Niederlande, light	" 2 0
La Gaicé, scarlet, white spotted	" 3 6
Lindleyanus, orange	" 2 6
Lisette, rose, blue spots	" 1 6
Lord Auckland, cherry, spotted	" 1 6
Lord Byron, scarlet, white spots	" 2 0
Lord Dudley, cherry, blue spots	" 2 0
Lord Palmerston, rose, white spots	" 2 0
L'Unique, dark red, striped	" 3 6
Marianne, scarlet, striped	" 1 6
Orange Boven, striped orange	" 1 6
Prince of Wales, fine red, striped	" 2 0
Prince of Waterloo, spotted orange	" 2 0
Queen of England, carmine	" 1 6
Rouge Eblouissant, lilac	" 1 6
Sectorius, scarlet, white spots	" 1 6
12 fine varieties, selected	25 0
Gladiolus for Clumping.	
Gladiolus cardinalis, scarlet	per doz. 3 6
— Colvillii, Colville's	" 3 6
— formosissimus, fine red	" 7 0
— gandaveusis, scarlet and yellow	" 7 0
— insignis, dark carmine, spotted	" 7 0
— oppositiflorus, white and rose	" 3 0
— Victoria, bright scarlet	" 7 0
— 6 of each of the above	17 0
— 3 of do. do.	9 0
Iris Pavonia, Peacock Iris	doz. 2 6
— susiana, Susan	" 3 0
— tuberosa, tuberosa	" 3 0
— sp. fragrant, Brazils	each 1 6
Lilium speciosum, rubrum, red, sm. 1s. 6d.	3 6
— album, white	" 1s. 2 0
— punctatum, spotted	" 2s. 6d. 5 0
Pancratium illyricum, Myrtian	" 1 6
Pæonia chinensis, Chinese	" 1 6
— fragrans, fragrant	" 1 6
Ranunculus, Persian, named	100 20
— finest mixed, 50 varieties	" 7 0
— 100 new Scotch, separate	" 40 0
— Turban, scarlet	" 2 6

## HARDY BULBS (continued).

	s. d.
Ranunculus, Turban d'Or, orange	100 5 0
— Scaplique, citron	" 6 0
— yellow (Merveilleuse)	" 3 0
— crimson purple	doz. 8 0
— Hercules, white	" 3 6
— Pictée Aimable, spotted	" 2 6
— Prince de Galatin, variegated	" 1 6
— red marbled	" 2 0
— scarlet Star	" 2 0
— suaveolens, fragrant	" 1 0
1 doz. of each of the above 7 sorts	13 0
— do. do.	7 6
Tigridia Pavonia (plant in April)	" 2 0
— conchiflora do.	" 2 6
— superba do.	" 3 6
Tuberoses, double (require heat)	" 4 0

## GREENHOUSE BULBS.

	s. d.
Amaryllis aulica, courtly	each 3 6
— calyptrata, veiled	" 5 0
— coranica (Brunsvigia)	" 5 0
— crocata, orange	" 3 0
— grandiflora, large-flowered	" 3 6
— superba, superb	" 5 0
— falcata (Brunsvigia)	" 5 0
— Johnsoni, Johnson's	" 4 0
— Josephine (Brunsvigia)	" 10 0
— orientalis (Brunsvigia auriculiflora)	" 6 0
— purpurea (Vallota purpurea)	" 1 6
— species with large red flowers	" 3 6
— red with green stripes	" 3 6
— Rio Negro, red-brown	" 3 6
— white, red striped	" 5 0
Chlidanthus fragrans, fragrant	" 1 6
Crinum revolutum, revolute	" 2 6
— sp. fragrant, Rio de Janeiro	" 3 6
Cyrtanthus odoratus, fragrant	" 5 0
— obliquus, oblique-leaved	" 5 0
— Hotcatul species	" 5 0
Drimys, species Cape	" 3 6
Ferraria undulata, waved	" 1 0
Gesneria, sp. Rio de Janeiro	" 2 6
— do. large red do.	" 3 6
Gloxinia, finest mixed, doz. 10s. 6d.	" 1 0
Griffinia, sp. dark blue flowers	" 5 0
— sp. light blue	" 7 0
Haemanthus, 4 fine species, 7s. 6d.	" 2 0
Pentlandia miniata, vermilion	" 2 6
Satyrium, sp. Cape	" 2 0
Tropeolum azureum, azure	" 3 6
— brachyceras, short-horned	" 2 0
— tricolorum, three-coloured	" 1 6
— grandiflorum, large-flowered	" 1 6
Veltheimia viridiflora, green-flowered	" 2 6
Zephyranthes Atamasco, Atamasco Lily	" 6 0
— carinata, keel-shaped	" 1 0
— sp. Rio de Janeiro, white, striped	" 1 0
Zuber, flower white and fragrant, Brazils	" 2 6
— flower yellow, fragrant	" 2 6
— from the Brazils, flower unknown	" 2 6
— from Minas Geraes, called Palmira	" 1 6

\* 12, 25 or 50 Bulbs may be had at the same rate as per 100; and 3 or 6 at the same rate as per doz.

## SUNDRY PLANTS.

	s. d.
Carnations, extra fine, 12 pair	20 0
Chrysanthemums, per doz. 9s., 12s.	to 18 0
Fuchsias, per doz. 9s., 12s., 15s.	" 24 0
Geraniums, per doz. 9s., 12s., 15s., 20s.	" 40 0
Heartsease or Pansies, extra fine, 9s.	" 12 0
Hollyhocks, very fine, 9s., 12s.	" 20 0
Picotees, extra fine Prize, 12 pair	" 20 0
Pinks, very fine, per 12 pair 8s.	to 12 0
Roses, Standard, doz. 18s., 24s.	" 36 0
— dwarf do. and dwarfs, 10s., 16s.	" 18 0
China &c. in pots, 12s.	" 18 0
Verbenas, very fine, 9s., 12s.	" 18 0

## KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price. <i>s. d.</i>	Month of Sow.	pa. packet ; bush. bushel.	Price. <i>s. d.</i>
<i>See note page 31.</i>					
3 and 4	Artichoke, green per oz.	9	3 to 4	Broccoli, self-protecting, per oz.	1 0
	Asparagus, Giant "	2		Lake's white "	1 0
10 to 6	Beans, <i>early sorts</i> per qt.			large Cornish "	1 0
	earliest dwarf Fan "	8		— Spring white "	1 0
	early Mazagan "	6		— purple "	1 0
	— long-pod "	6		late Cape "	1 6
	green long-pod "	6		— close-headed pur. "	1 0
	Johnson's Wonderful "	6		— white "	1 0
1 to 5	large Windsor "	6		London Particular "	1 0
	Taylor's do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Mammoth "	1 0
3 to 5	Beet, fine large red per oz.	3		new Victoria "	1 0
	new German "	4		Portsmouth "	1 0
	new purple-top "	4		Potter's new pink "	1 0
	Mitchel's crimson "	4		Snow's superb "	1 0
	turnip-rooted "	4		very late dwarf Danish "	1 6
	silver or Spinach Beet "	3		Wileove large white "	1 0
	white "	3		Winter Imperial "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	8 0
3 to 4	Borecole, or Kail per oz.			1 " 4 do. do.	4 0
	dwarf green curled "	3		$\frac{1}{2}$ " 8 do. do.	4 0
	dwarf brown "	3		$\frac{1}{2}$ " 4 do. do.	2 0
	tall green "	3	3 to 4	Brussel Sprouts per oz.	6
	Asparagus, new "	6		imported Belgian "	1 0
	Blenheim "	4	3 to 9	Cabbage, Atkins' Matchless "	6
	Buda "	3		Barnes' early "	6
	Delaware "	3		Carter's early "	1 0
	Jerusalem "	3		Carter's Matchless "	1 0
	Knoll "	3		early Battersea "	6
	new heading "	6		— dwarf "	6
	purple "	3		— East Ham "	6
	Ragged Jack "	3		— Downie's Emperor "	6
	variegated, 3 vars. "	6		— Enfield "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Hope "	6
	Cape white "	1 6		— London Market "	6
	— green "	1 0		— Marrow, Tiley's "	1 0
3 to 5	early cauliflower "	1 0		— Nonpareil "	6
	— close-headed pur. "	1 0		— Paignton "	6
	— Grange's "	1 0		— Reliance "	1 0
	— Malta "	1 0		— Sprotbro' "	6
	— October "	1 0		— Sugar-loaf "	6
	— purple "	1 0		— superfine "	1 0
	— sprouting "	1 0		— Vanaek "	6
3 to 4	— Waleheren "	1 6		— Wellington "	6
	— white "	1 0		— York "	6
	— Wren's "	1 0		King of the Cabbages "	6
	American, extra "	1 0		Shilling's Queen "	6
	Brimstone "	1 0		large Battersea "	6
	Chappel's cream "	1 0		— Imperial "	6
	dwarf Russian "	1 0		— Pomeranian "	1 0
	— Siberian "	1 0		— York "	6
	Elletson's gigantic "	1 0		— Drumhead "	3
	Field's new white "	1 0		1 oz. 6 finest for succession	4 0
	Hampton Court "	1 0		$\frac{1}{2}$ " 6 do. do.	2 0
	Howden's superb "	1 0		Red, for Pickling per oz.	6
	Impregnated wb. "	1 0		— Dutch, large "	6
	Invisible "	1 0	3 to 6	Savoy, new Ulm "	1 0



Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Cal., dwarf green Savoy per oz.	6	4 & 5	Cucumber, short prickly, perpa.	3
	Savoy, Drumhead "	6		white Turkey "	3
	— globe "	6		<i>Prize frame varieties.</i>	
	— Mitchel's Dwarf "	6	9 to 6	Allen's Victory of Suffolk "	1 0
	— yellow "	6		Carter's Black Spine "	1 0
	— yellow Blumenthaler "	1 0		— white spine "	1 0
	Chou de Milan, imported "	1 0		*Colney Hatch, w. s. extra "	1 0
3 to 8	Colswort (for greens) "	6		*— new black spine "	1 0
	Couve Tronchuda "	1 0		*Cuthill's black spine "	6
	Kohl-Rabi, a. g. lar. pur. "	3		Defiance "	1 0
	— aboveground, ear. wh. "	6		Iladen's Conqueror "	1 0
	— do. early blue "	6		*Improved Sion House "	6
	— under ground, best "	6		Kerrison's Prize "	1 0
	Thousand-headed "	3		Manchester Prize "	6
2 to 9	Carrot, early Horn per oz.	3		Man of Kent "	6
	early scarlet frame "	3		Roman Emperor "	1 0
3 to 4	long Surrey "	3		*Sion House "	6
	— orange "	3		Walker's Prize-fighter "	6
	fine white, for stewing "	3		*Weedon's frame "	6
	St. James's scarlet "	3		*Webb's Invincible "	1 0
	scarlet Altrincham "	3		6 finest varieties "	5 0
3 to 5	Cauliflower, early "	1 6		finest mixed "	1 0
and in	late "	1 6	4 & 5	Egg Plant "	3
August	large Asiatic "	1 6	5 to 8	Endive, green curled per oz.	6
	— Cyprus "	1 6		white curled "	6
	Radford's Giant "	1 6		green curled winter "	6
	Walchren "	1 6		Batavian, green "	6
	1 oz. 4 best for succession "	5 0		— white "	6
	$\frac{1}{2}$ " 4 do. do. "	2 6	5 & 6	French Beans, dwarf dun, p. qt.	1 0
3 to 5	Cardoon, Spanish per oz.	6		dwarf Canterbury "	1 0
	new large purple "	1 0		*— dark dun "	1 0
	Celery, Giant red "	4		*— earliest forcing "	1 0
	Giant white "	4		— early prolific "	1 0
	Champion white "	6		*— Fulmer's forcing "	1 0
	Cole's solid red "	6		*— Negro "	1 0
	curled dwarf "	4		— speckled "	1 0
	Hillingdonian red "	6		tall or Scarlet Runners "	1 0
	Jones' Matchless "	4		— Dutch Case-knife "	1 0
	Lane's new red "	6		— French Haricots "	1 0
	large-rooted Celeriac "	3		— Painted Lady "	1 0
	Lav's white Giant "	4	3 to 5	Ice Plant per pa.	3
	Lion's paw "	4	4 to 5	Indian Corn, Quarantain "	3
	Manchester red "	4	3 to 5	Leek, London Flag per oz.	6
	— white "	4		Musselburg "	1 0
	Scymour's white "	4		new Giant "	1 0
	solid red "	3	3 to 9	Lettuce, Cos, Ady's "	1 0
	— white "	3		Cos, Artichoke-leaved "	1 0
	Wheeler's pink "	3		*— Bath "	1 0
	Corn Salad "	3		*— black-seeded Bath "	1 0
	new Italian "	6		— blood "	1 0
2 to 10	Cress, common per qt.	1 0		— Brighton "	1 0
	triple curled "	1 6		— Cove "	1 0
	golden per oz.	2		*— brown "	1 0
	Normandy "	2		*— Egyptian "	1 0
	perennial American "	3		— Florence "	1 0
	Water-cress per pa.	6		— green "	1 0
9 to 6	Cucumber, fine frame "	6		— Kensington, fine "	1 0
4 & 5	long prickly, per oz. 1s. "	3		— new compact "	1 0
	long Ridge "	3		*— new hardy green "	1 0
	Stockwood, extra "	6		*— white "	1 0

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s. d.			s. d.
* Both for Autumn and Spring Sowing.	3 to 0 Lettuce, Cos, new spotted, p. oz.	1 0	10 to 5	Peas I. <i>Earliest sorts.</i>	
	Cos, Nonpareil, white "	1 0		Warner's Emperor per qt.	9
	— green "	1 0		Prince Albert "	9
	— Paris green "	1 0		early frame 6d., Kent "	6
	— white "	1 0		— May 6d., Warwick "	6
	— white "	1 0		— Charlton "	6
	1 oz. 6 best sorts	6 0		Auvergne "	9
	3/4 " 6 do. do.	3 0		Bishop's new long-pod. "	1 0
	Cabbage, Asiatic "	1 0		**Champion of Engl. "	1 0
	— Belle et Bonne "	1 0		Early blue, Eclipse "	1 0
	— blood-red "	1 0		Fairbeard's Surprise "	1 0
	* brown Dutch "	1 0	1 to 6	II. <i>Later sorts.</i>	
	— Drumhead "	1 0		Marrow, Stn'b's e. blue "	1 0
	* Grand Admiral "	1 0		— early green "	8
	* hardy Hammersmith "	1 0		— dwarf white "	8
	— Imperial "	1 0		— dwarf green "	8
	— Magnum Bonum "	1 0		— Glory of England "	8
	— Malta "	1 0		— matchless green "	8
	— Marseilles "	1 0		— Ringwood "	8
	— Mogul "	1 0		— Royal Victoria "	8
	* white "	1 0		— Woodford's green "	8
	* pink-edged "	1 0	1 to 6	III. <i>Wrinkled Marrows.**</i>	
	* Tennis-ball "	1 0		British Queen "	1 6
	— Turkey "	1 0		Carter's Victoria "	2 0
	— Victoria "	1 0		Hairs' dwf. Mammoth "	2 6
	— Silesian, brown "	1 0		Knight's dwarf white "	1 0
	1 oz. 6 finest sorts	5 0		— dwarf green "	1 0
	1/2 " 6 do. do.	2 6		— tall white "	1 0
	4 to 5 Love apple (Tomato), red "	1 0		— tall blue "	1 0
	yellow packet 3d. "	1 0		— Ne Plus Ultra "	1 6
	3 to 6 Mallow, garnishing per pa.	3		Superb Branching "	1 6
	2 to 10 Mustard, white per qt.	1 0		King of the Marrows "	1 6
	3 to 6 Onion, blood-red per oz.	4		Ward's Incomparable "	1 6
* Both for Autumn and Spring Sowing.	* Deptford per lb. 4s. "	4	1 to 6	IV. <i>Various Peas.</i>	
	Globe " 4s. "	4		Bednan's Imperial "	8
	— new white "	4		Blue Prussian "	6
	James's keeping "	4		Flack's Victory "	8
	* Lisbon "	4		Pride of Sussex "	1 0
	* new Glant "	6		Scimitar "	6
	3 to 8 Pickling "	6		Sugar, dwarf "	1 6
	Portugal, brown lb. 4s. "	4		10 finest for suc. 1 qt. each	10 0
	— white " 4s. "	4		10 do. do. 1 pt. "	5 0
	* Reading " 4s. "	4		6 newest do. 1 qt. "	9 0
	Silver-skinned "	6		6 do. do. 1 pt. "	4 6
	Early Nocera do. "	1 0		6 dwarfest 1 qt. "	6 0
	* Spanish, brown " 4s. "	4		The <i>Wrinkled Marrows**</i> , (including also <i>Champion of England</i> .) see No. III., form a distinct class, and can be highly recommended. Carter's <i>Victoria Marrow</i> is warranted the largest and finest-flavoured of all the <i>White Peas</i> . II, III, and IV, all good for middle and late crops. <i>Royal Victoria</i> and <i>Carter's Victoria</i> for very late crops.	
	* white " 4s. "	4			
	* Strasburg "	4			
	* Tripoli, large flat "	6			
	* — round "	6			
	3 to 9 Two-bladed early "	6			
	Yellow Pear "	6			
	8 to 9 Welch "	3			
	6 finest sorts, 2 oz. each	5 0			
	6 do. do. 1 do.	2 6			
	3 to 8 Parsley, extra curled per oz.	3			
	Myatt's garnishing "	3			
	new matchless "	6			
	large-rooted Hamburg "	3			
	3 to 5 Parsnip, best large "	3			

Month. of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
4 to 5	Pompkin, large yellow per pa.	3		Fennel Parslain, green	
	green Spanish "	3		— Florence — golden	
	Potato, early per pa. 6d. p. oz.	1 6		Horehound Rosemary	
	late " 6d. "	1 6		Hyssop Rue	
	Silver-skin " 1s. "	3 6		Lavender Sage	
1 to 9	Radish, long framo per qt.	2 0		Marjoram, pot Savory, Summer	
	Wood's new frame "	2 0		— sweet — Winter	
	early scarlet "	2 0		Orach Tarragon, plants	
	new London Particular, "	2 0		Nettle Tobacco, fumig.	
	early short topt "	2 0		Pimpernel Thymo	
	long Salmon "	2 0		Pot Marigold Wormwood	
	white Naples "	3 0		<i>Chives, Lemon Thyme and</i>	
	red Turnip "	2 0		<i>Tarragon to be had in Plants</i>	
	white Turnip "	2 0		<i>only.</i>	
	mixed Turnip "	2 0			
	new olive-shaped per oz.	3		ROOTS AND PLANTS.	
	Black Spanish "	3		<i>Some of the prices variable.</i>	
4 to 6	Rampion per pa.	3		Artichokes per peck	3 6
	Rhubarb, mixed "	6		— Jerusalem "	2 0
	Royal Albert "	6		Asparagus, 2 years per 100	2 6
	Tobolsk "	6		— 3 years, large "	5 0
	Victoria "	6		— extra large, for forcing "	
	Salsafy, root per oz.	4		Garlic per lb.	1 0
	Scorzonera, root "	4		Mushroom Spawn per bush.	4 0
3 to 6	Sea Kail "	6		Potato, early ash-leaved "	6 0
	Skirret, root "	6		early Chalmore Kidney "	5 0
	Sorrel "	4		— Golden drop "	5 0
3 to 9	Spinach, round per qt.	1 0		— Shaw "	4 0
	new Gaudry per oz.	4		2nd early, Flour-ball "	4 0
	prickly per qt.	1 0		— Forty-fold "	4 0
	broad Flanders "	1 0		— Gold-finder "	4 0
3 to 6	New Zealand per oz.	6		— white-blossom "	4 0
4 to 5	Squash, fine mixed per pa.	3		late, Regents "	3 6
3 to 8	Turnip, early Dutch per oz.	3		— Jersey Blues "	3 0
	early Mousetail "	3		Rhubarb, Linnaeus each	1 0
	— Six-week "	3		Royal Albert "	1 0
	— Snowball "	3		Tobolsk "	1 0
	— Nonsuch "	3		Victoria "	1 0
	— Stone or Stnbbble "	3		Sea Kail per 100	5 0
	new black for stewing "	4		— extra large, for forcing "	
	large white "	2		Shallots per lb.	1 0
	yellow Maltese "	3		<i>And all other Seeds and</i>	
	— Dutch "	3		<i>Plants for the Kitchen Garden.</i>	
	— Preston "	3		<i>When sown before the usual</i>	
	— Stono "	3		<i>time in Spring, a hot-bed frame</i>	
	— Swedish "	2		<i>is required for Carrot, Canti-</i>	
4 to 6	— Teltan or Märksche "	6		<i>flower, Cucumber, French Beans,</i>	
	Vegetable Marrow per pa.	3		<i>Gourds, Lettuce, Potato, Pomp-</i>	
	white, egg-shaped "	6		<i>kin, Radish, Vegetable Marrow,</i>	
				<i>and most others except Peas</i>	
				<i>and Beans.</i>	
	HERBS.			FRUIT SEEDS.	
	<i>In 3d. Paekets ; or per Ounce ;</i>			No.	
	<i>to be sown in April or May.</i>			1455 Apricot per packet	6
	Angelica Borage			1456 Currant, white, red & black each	6
	Anise Buglos			1457 Gooseberry, white	6
	Balm Capsicum			1458 — red	6
	Basil, bush Chervil			1459 Grape, finest-flavoured	1 0
	— sweet Chillis				
	Benedict Clary				

		per packet			per packet
No.	s. d.	No.	s. d.	No.	s. d.
1460 Melon, Beechwood	1 0	1484 Melon, splendid large, gr.-flesh	1 0		
1461 — Black Rock	6	1485 — sweet Ispahan	6		
1462 — Bromham Hall, g. f.	1 0	1486 — transparent green-flesh	1 0		
1463 — Busby's scarlet-flesh	1 0	1487 — Trentham Hall	1 0		
1464 — Carter's green-flesh	1 0	1488 — Warded, fine flavour	1 0		
1465 — Cassabar	6	1489 — white apple-flavoured	1 0		
1466 — Clifton hybrid	6	1490 — white-fleshed Valence	1 0		
1467 — Colney Hatch, g. f.	1 0	1491 — mixed, 20 varieties	6		
1468 — de Provence, extra	1 0	1492 — Water Melon, imported	6		
1469 — Delicious, rough, g. f.	1 0	1493 — — 4 fine varieties	6		
1470 — Duke of Norfolk	6	1494 Mulberry, white	6		
1471 — early Cantalupe	6	1495 — black	6		
1472 — — Prescott	6	1496 Nectarine	6		
1473 — fine green-flesh	6	1497 Quince	6		
1474 — fine scarlet-flesh	6	1498 Peach	6		
1475 — Ispahan	6	1499 Pear and Apple pips	each 6		
1476 — netted Persian	6	1500 Plum, mixed	6		
1477 — Pekin, fine	1 0	1501 Raspberry, finest red	6		
1478 — Royal Fitzgerald, prize	1 0	1502 Strawberry, red Alpine	6		
1479 — scarlet Rock	6	1503 — white Alpine	6		
1480 — Sirdar, imported	6	1504 — British Queen	6		
1481 — small orange-flesh	6	1505 — Elton Pine	6		
1482 — — green-flesh, delicious	6	1506 — old Pine	6		
1483 — — red-flesh, fine	6	1507 — finest mixed	1 0		

No. 1508 Queen's Pocket Melon, extra fine, 1s.

### AGRICULTURAL SEEDS.

*The prices of Clover and other Agricultural Seeds are variable.*

		s. d.			s. d.			s. d.
Beet, Sugar	per lb.		Turnip, Gordon, yellow	lb.		Cowgrass	per lb. or cwt.	
Broom	"		Hybrid, Dale's	"		Fescue, hard	bush.	
Buck Wheat	per bush.		Round, green	"		— meadow	"	
Burnet	per lb.		— red	"		— Sheep's	"	
Cabbage, Drumhead	"		— white	"		Festuca elatior	"	
— flat Scotch	"		Swedish, Ashcroft's	"		— heterophylla	"	
— large Battersea	"		— Emperor	"		— rubra	"	
— large Brunswick	"		— green-top	"		— tenuifolia	"	
— Thousand-beaded	"		— purple-top	"		Foxtail, meadow	"	
Carrot, largest red	"		— Laing's	"		Holcus lanatus	"	
— large white Belgian	"		— Matson's	"		Lucern	lb.	
Chicory	"		— Skirving's	"		Oat Grass, tall	bush.	
Furze	"		Scotch, green-top	"		— yellow	"	
— French	"		— purple-top	"		Poa angustifolia	lb.	
Kohl-Rabi, green	"		Stubble	"		— nemoralis	"	
— large purple	"		Tankard, green	"		— nervosa	"	
— under-ground	"		— red	"		— pratensis	"	
Mangel Wurzel, long red	"		— white	"		— trivialis	"	
— long yellow	"		— yellow	"		Rye Grass, annual	bush.	
— globe red	"		Yellow Aberdeen	"		— evergreen	"	
— globe yellow	"					— Italian, imported	"	
Mustard, white	"					— Pacey's	"	
Parsnip, large field	"					— perennial	"	
Rape, dwarf	"					Sainfoin	"	
Turnip-rooted Cabbage, }			GRASSES.			Sweet Vernal	lb.	
— see Kohl-Rabi }			Agrostis stolonifera	bush.		Timothy	"	
Turnip, Globe, red, bush. or lb.			Cock'sfoot	lb.		Yarrow	"	
— green	"		Clover, Alsike hybrid	lb.		Mixed for pasture	bush.	
— white	"		perennial	per lb. or cwt.		— for lawns	"	
			red	"				
			white	"				

### ADDITIONAL NEW FLOWER SEEDS.

		per packet	s. d.			per packet	s. d.
Portulaca, new rose		0 6		Salpiglossis, new elegant		0 6	
Salpiglossis, new striped		0 6		Zinnia elegans, new striped		0 6	
Salpiglossis, new white		0 6		Victoria regia (splendid aquatic)		5 0	

*\*\* Mats, Netting, and all kinds of Garden implements.*

*A comprehensive Catalogue of Dutch Bulbs will be published in the Autumn.*

Printed by Richard Taylor, Red Lion Court, Fleet Street.

*Purchaser of seeds from 1852 to 1854*